



CRITERION - 4

INFRASTRUCTURE AND LEARNING RESOURCES

KEY INDICATOR - 4.1

PHYSICAL FACILITIES

METRIC NO. - 4.1.1





SHRI GAJANAN SHIKSHAN SANSTHA'S
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING,
SHEGAON – 444203, DIST. BULDHANA (MAHARASHTRA STATE), INDIA

* Recognized by A.I.C.T.E., New Delhi, * Affiliated to Sant Gadge Baba Amravati University, Amravati &
* Approved by the D.T.E., M.S. Mumbai

Ph.Nos : 8669638081 / 8669638082
Website : www.ssgmce.ac.in

Email- principal@ssgmce.ac.in
registrar@ssgmce.ac.in


Date : 04-03-2024

Declaration

This is to declare that the information, reports, true copies and numerical data etc, furnished in this file as supporting documents is verified by IQAC and found correct.

Hence this certificate.


Dr. A. U. Jawadekar
IQAC Coordinator


Dr. S. B. Somani
PRINCIPAL
Shri Sant Gajanan Maharaj
College of Engineering, Shegaon.





Shri Gajanan Shikshan Sanstha's
**SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA**

"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82

Email.principal@sbgmce.ac.in, registrar@sbgmce.ac.in

Fax : 091-7265-252346

Website- www.sbgmce.ac.in

4.1.1 Availability of adequate infrastructure and physical facilities viz., classrooms, laboratories, ICT facilities, cultural activities, gymnasium, yoga centre etc. in the institution.

SUMMARY OF INFRASTRUCTURE AND PHYSICAL FACILITIES

Sr. No.	Particulars	Numbers
<u>1</u>	Classrooms	27
<u>2</u>	Laboratories	50
<u>3</u>	Central Workshops	01
<u>4</u>	Drawing Hall	01
<u>5</u>	Seminar Halls	06
<u>6</u>	Conference/Meeting rooms	06
<u>7</u>	Central Library	01
<u>8</u>	Departmental Library	07
<u>9</u>	Girls & Ladies Common Room	02
<u>10</u>	IQAC Cell	01
<u>11</u>	Training and Placement Cell	01
<u>12</u>	Interview rooms	02
<u>13</u>	Alumni office	01
<u>14</u>	Auditorium New	01
<u>15</u>	Auditorium old	01
<u>16</u>	Music room	01
<u>17</u>	Multimedia Unit	01
<u>18</u>	Data Centre	01
<u>19</u>	Research Centre	01
<u>20</u>	Computer Maintenance Section	01
<u>21</u>	Power House	01
<u>22</u>	Solar Section	01
<u>23</u>	Gymnasium	01
<u>24</u>	Yoga hall	01
<u>25</u>	Prayer hall	01
<u>26</u>	ATM Facility	01
<u>27</u>	Central store	01
<u>28</u>	Student's Consumer Store	01
<u>29</u>	Canteen	01
<u>30</u>	Dispensary	01
<u>31</u>	Sport office	01
<u>32</u>	Indoor Sports: <ul style="list-style-type: none">• Skating hall• Babington hall• Table tennis hall	-



Shri Gajanan Shikshan Sanstha's
**SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA**

"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82

Email.principal@ssgmce.ac.in, registrar@ssgmce.ac.in

Fax : 091-7265-252346

Website- www.ssgmce.ac.in

<u>33</u>	Outdoor Sports: <ul style="list-style-type: none">• Kabbaddi Ground• Kho-Kho Ground• Volley ball Ground• Basketball Ground• Cricket Ground	-
<u>34</u>	NSS & NCC Office	01
<u>35</u>	Hostels	07
<u>36</u>	Central Computing Facility	01
<u>37</u>	Property Card of Institution	-
<u>38</u>	Application Deficiency Report	-




PRINCIPAL
Shri Sant Gajanan Maharaj
College of Engineering, Shegaon.



Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA

"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
 "Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82
 Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in
 Website- www.ssgmce.ac.in

CLASS ROOMS

(Classrooms Equipped with ICT Enabled Facilities like LCD Projectors, Computers with Internet Connectivity, Multimedia Systems, Centralized PA System, etc)

SN	Class Room Name.	Department	Size in Sq meter
1.1	A1	Electrical Engineering	84.13
	A2		82.66
	A3		78.28
	A4		78.28
1.2	B1	Computer Science and Engineering	84.13
	B3		82.66
	B5		78.28
	B6		78.28
1.3	B2	Information Technology	95.31
	B4		95.31
	B7		95.31
1.4	C1	Electronics and Telecommunication Engineering	84.13
	C2		82.66
	C3		78.28
	C4		78.28
1.5	D1	Applied Science and Humanities	84.13
	D2		82.66
	D3		78.28
	D4		78.28
	D5		95.31
1.6	E1	Mechanical Engineering	84.13
	E2		82.66
	E3		78.28
	E4		78.28
1.7	CR1	Master of Business and Administration	78.28
	CR2		78.28
	SR		77.16



Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82

Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in

Website- www.ssgmce.ac.in

Class Room: A1



Class Room: A2





Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"


Ph : +918669638081/82
Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in
Website- www.ssgmce.ac.in

Class Room: A3



Class Room: A4






Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82
Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in
Website- www.ssgmce.ac.in

Class Room: B1



Class Room: B2





Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82
Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in
Website- www.ssgmce.ac.in

Class Room: B3



Class Room: B4






Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82
Fax : 091-7265-252346

Email.principal@ssgmce.ac.in, registrar@ssgmce.ac.in
Website- www.ssgmce.ac.in

Class Room: B5





Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82
Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in
Website- www.ssgmce.ac.in

Class Room: B6



Room No: B7





Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82
Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in
Website- www.ssgmce.ac.in

Class Room: C1



Class Room: C2





Shri Gajanan Shikshan Sanstha's
**SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA**

"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82

Fax : 091-7265-252346

Email.principal@ssgmce.ac.in, registrar@ssgmce.ac.in

Website- www.ssgmce.ac.in

Class Room: C3



Shegaon, Maharashtra, India

QMJH+H6V, SBI Colony, Shegaon, Maharashtra 444203, India

Lat 20.781518°

Long 76.678088°

17/10/23 11:39 AM GMT +05:30



Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82
Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in
Website- www.ssgmce.ac.in

Class Room: C4



Class Room: D1





Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82
Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in
Website- www.ssgmce.ac.in

Class Room: D2



GPS Map Camera




Shegaon, Maharashtra, India
QMGG+R53, SBI Colony, Shegaon, Maharashtra 444203, India
Lat 20.776785°
Long 76.674659°
17/10/23 04:33 PM GMT +05:30

Class Room: D3



GPS Map Camera



Shegaon, Maharashtra, India
QMJJH+F44, SBI Colony, Shegaon, Maharashtra 444203, India
Lat 20.781153°
Long 76.677868°
17/10/23 04:34 PM GMT +05:30



Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82
Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in
Website- www.ssgmce.ac.in

Class Room: D4



Class Room: D5





Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA

"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82

Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in

Website- www.ssgmce.ac.in

Class Room: E1



Class Room: E2





Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82
Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in
Website- www.ssgmce.ac.in

Class Room: E3



Class Room: E4





Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82
Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in
Website- www.ssgmce.ac.in

Class Room: MBA1



Class Room: MBA2





Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA

"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82

Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in

Website- www.ssgmce.ac.in

Class Room: MBA3





Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82

Email.principal@ssgmce.ac.in, registrar@ssgmce.ac.in

Fax : 091-7265-252346

Website- www.ssgmce.ac.in

2. LABORATORIES

Sr. No.	Department	Link
2.1	Electrical Engineering	Click Here
2.2	Computer Sci & Engineering	Click Here
2.3	Information Technology	Click Here
2.4	Electronics & Tele Comm Engg	Click Here
2.5	Applied Science & Humanities	Click Here
2.6	Mechanical Engineering	Click Here

[Back](#)



Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDHANA (MAHARASHTRA STATE), INDIA

“Recognized by A.I.C.T.E., New Delhi” Affiliated to Sant Gadge Baba Amravati University, Amravati
 “Approved by the D.T.E., M.S. Mumbai”

Ph : +918669638081/82

Website- www.ssgmce.ac.in

Email: principal@ssgmce.ac.in

registrar@ssgmce.ac.in

2.1 Department of Electrical Engineering

Sr. No.	Name of the Laboratory	Size (Sq. Mtrs .)	Major Equipment available in Laboratory
2.1.1	Electrical Machines Laboratory	168	1. D.C. Motor Generator Set. 2. DSO 3. Motor-3 Ph. Alternator Set with Synchronising Panel 4. Rectifier 5. Single Ph. & 3-Ph Induction Motor 6. Special Motors 7. 3-Ph A.C. Drive
2.1.2	Switchgear and Protection Laboratory	101.08	1. Demonstration Units of Static Relay 2. Electromagnetic Relay Panels. 3. Microprocessor Base Motor Protection Panel Automated Distribution Network Panel. 5. Oil Circuit Breaker
2.1.3	High Voltage Laboratory	67.38	1. 100 KV Ac Testing Set 2 100 KV Dc Testing Set 3 60 KV Oil Testing Kit 4 Vertical Sphere Gap 5 Impulse Tester
2.1.4	Control System Laboratory	101.08	1. DC Motor Generator Set 2. DC Servo Motor 3. 3 Phase Slip Ring I.M. 4. DSO 5. Stepper Motor 6. Position Control Set.
2.1.5	Electrical Measurement Laboratory	67.38	1. A.C. / D.C Measurement Bridges. 2. Three Phase Induction Motor 3. Stroboscope 4. LCR Meter
2.1.6	Basic Electrical Engineering Laboratory	67.388	1. Single & 3 Ph. Auto Transformer. 2. Basic Theorem Verification Setup. 3. Resistive Load Bank 4. Single Phase & 3-Ph Transformer. 5. D.C. Regulated Power Supply
2.1.7	Computer Laboratory	100	1. Completing Facilities 2. Printers, Scanner 3. PSCAD Software.



Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDHANA (MAHARASHTRA STATE), INDIA

“Recognized by A.I.C.T.E., New Delhi” Affiliated to Sant Gadge Baba Amravati University, Amravati
 “Approved by the D.T.E., M.S. Mumbai”

Ph : +918669638081/82
 Website- www.ssgmce.ac.in

Email: principal@ssgmce.ac.in
registrar@ssgmce.ac.in

2.1.8	Microprocessor & Microcontroller Laboratory		1.8085 ,8086 Microprocessor Kits & Peripherals
2.1.9	Project Laboratory	15	1.3-Ph Transformer 2. DSO 3 N I Data Acquisition 4. C.R.O.
2.1.10	PLC & Factory automation Laboratory	101.08	1. Automation Training Kit and Socket Tray. , Simulation Setup for Plc., HMI Servo Mechanism 2. Modular PLC Training Kit
2.1.11	Power Quality Laboratory	30	1. Power Quality Analyser. 2. Load Manager 3. Mix Signal Oscilloscope 4. Dso, Relay Testing Kit 5. Ad Link Card
2.1.12	Electrical Power Research Laboratory	55	1. NJ-CRIO 2. D- Space kit 3. Advantech DAC/DSO/Currents & Voltage Sensor.
2.1.13	Centre of excellence in Electrical Vehicle	375	1. Cut Models of Various Motors. 2. Motor Controllers 3. Deviation Model for Experimentation
2.1.14	Solar Research Centre	55	1. PV cell Testing machine 2. PV cell cutting Machine 3. PV Module Lamination machine 4. Curing Oven 5. Sun Simulator 6. Compressor 7. Thermocutter 8. Battery heat Scal Machine 9. Battery charger 10. Battery Punching Machine 11. Etching Machine 12. Tinning Machine 13. Oven 14. Drilling Machine 15. Expose Machine 16. PCB Cutting Machine 17. QC Table 18. Brushing Machine 19. Welding Machine



Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82

Fax : 091-7265-252346


Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in

Website- www.ssgmce.ac.in

2.1.1 Electrical Machine Laboratory



2.1.1 Switchgear and Protection Laboratory





Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82
Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in
Website- www.ssgmce.ac.in

2.1.1 High Voltage Laboratory



2.1.1 Control System Laboratory





Shri Gajanan Shikshan Sanstha's
**SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA**
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82
Fax : 091-7265-252346

Email: principal@sbgmce.ac.in, registrar@sbgmce.ac.in
Website- www.sbgmce.ac.in

5. Electrical Measurement Laboratory



6 Basic Electrical Engineering Laboratory





Shri Gajanan Shikshan Sanstha's
**SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA**

"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82
Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in
Website- www.ssgmce.ac.in

7. Computer Laboratory



8. Microprocessor and Microcontroller Laboratory





Shri Gajanan Shikshan Sanstha's
**SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA**

"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"


Ph : +918669638081/82

Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in

Website- www.ssgmce.ac.in

9. Project Laboratory



Shegaon, Maharashtra, India
QMJH+V4V, SBI Colony, Shegaon, Maharashtra 444203, India
Lat 20.781985°
Long 76.6776°
24/02/24 10:52 AM GMT +05:30

10 PLC & Factory Automation Laboratory



Shegaon, MH, India
College Road, Shegaon, Shegaon, 444203, MH,
India
Lat 20.782435, Long 76.677970
10/11/2023 12:54 PM GMT+05:30
Note : Captured by GPS Map Camera



Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82
Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in
Website- www.ssgmce.ac.in

11 Power Quality Laboratory



12. Electrical Power Research Laboratory





Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA

"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in

Fax : 091-7265-252346

Website- www.ssgmce.ac.in

13. Centre of Excellence



Electric Vehicle Lab



Shri Gajanan Shikshan Sanstha's
**SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA**

"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82

Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in

Website- www.ssgmce.ac.in

14. Solor Research Centre





Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDHANA (MAHARASHTRA STATE), INDIA

"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82

Website- www.ssgmce.ac.in

Email: principal@ssgmce.ac.in

registrar@ssgmce.ac.in

2.2 Department of Computer Science and Engineering

Sr. No.	Name of the Laboratory	Size (Sq. Mtrs .)	Major Equipment available in Laboratory
2.2.1	Object Oriented Programming Laboratory	84.23	1) PC: (LENOVO i5 12 th GN./8GB RAM /1 TB SATA HDD/512 GB M2 SSD: - Qty: - 17 With Windows 10 Operating System and Quick Heal Antivirus): - 17 Qty 2) 10 KVA Online UPS With Batteries: - 01 Qty 3) Scanner (HP G2410): - 01 Qty 4) External DVD Writer LG: - 01 Qty 5) Network Rack with Network Switches 24 Port: - 04 Qty and Control /Patch Panel: - Qty: -04
2.2.2	System Software Laboratory	84.23	1) PC: (LENOVO i5 12 th GN./8GB RAM /1 TB SATA HDD/512 GB M2 SSD With Windows 10 Operating System and Quick Heal Antivirus): - 17 Qty
2.2.3	DBMS Laboratory	84.23	1) HP Server – 01 2) Computer System Qty (LENOVO I3 (3G) /4GB RAM /500GB HDD, With Windows 10 Operating System and Quick Heal Antivirus) – 20 Qty 3) KVA Online UPS with Batteries: - 01 Qty
2.2.4	Project Laboratory	42.11	1) Computer System: (LENOVO I3 (3G) /4GB RAM /500GB HDD, With Windows 10 Operating System and Quick Heal Antivirus) 5 Qty



Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDHANA (MAHARASHTRA STATE), INDIA

“Recognized by A.I.C.T.E., New Delhi” Affiliated to Sant Gadge Baba Amravati University, Amravati
 “Approved by the D.T.E., M.S. Mumbai”

Ph : +918669638081/82
 Website- www.ssgmce.ac.in

Email: principal@ssgmce.ac.in
registrar@ssgmce.ac.in

			2) Computer System: (LENOVO I3 (3G) /4GB RAM /1 TB HDD, With Windows 10 Operating System And Quick heal Antivirus) 8 Qty 3) Computer System: (Lenovo I3 (2G) /2GB RAM /500 GB HDD, With Windows 10 Operating System And Quick heal Antivirus) – 6 Qty 4) 5 KVA Online UPS With Batteries: - 01 Qty 5) Optoma Projector – 01 Qty
2.2.5	Beginners Laboratory	56.16	1) PC HP-i5 HPro28049MT, 12 th Gen. DDR4 8GB RAM, 512 NVMe 2280 M2 PC SSD, Bluetooth/Wi-fi, 19.5” LED Monitor with Windows 11 Operating System and Quick Heal Antivirus -20 Qty 2) PC Lenovo Intel 481 Chip Set Mother Board, 4gb DDR3 RAM, 500GB SATA HDD, USB Mouse, Keyboard, 18.5 Inch LED Monitor, With Windows 10 Operating System and Quick Heal Antivirus -3 Qty 3) UPS- 5KVA Online Digital (Numeric) 4) Network Rack with Network Switches 24 port: - 03 Qty Control /Patch Panel: - Qty: -03
2.2.6	Data Science Laboratory	56.16	1) PC Lenovo- i3 6th generation Model 8510 Tower Desktop core i3 Processor, 4GB DDR4 RAM, 500 GB



Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDHANA (MAHARASHTRA STATE), INDIA

"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
 "Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82

Website- www.ssgmce.ac.in

Email: principal@ssgmce.ac.in

registrar@ssgmce.ac.in

			SATA HDD, USB Mouse, Keyboard, 19.5" Inch LED Monitor, Windows 10 Operating System, and Quick Heal Antivirus -16Qty 2) PC LENOVO -V520 PC i5-12 GEN processor, 6core 2.4GHZ/single module 4GB DDR4 RAM, 1TB SATA HDD, 7200RPM 512 M2SSD 19.5" Inch LED Monitor, Windows 10 Operating System, and Quick Heal Antivirus -2 Qty 3) UPS- 3KVA Online Digital (Numeric)
2.2.7	Machine Learning & IOT Laboratory	56.16	1) PC Lenovo i36h generation Model 8510 Tower Desktop core i3 Processor, 4GB DDR4 RAM, 500 GB SATA HDD, USB Mouse, Keyboard, 19.5" Inch LED Monitor with Windows 10 Operating System and Quick Heal Antivirus-7Qty 2) PC Lenovo Think center i3 Intel 2GB RAM, 500GB HDD, 18.5" TFT Monitor, With Windows 10 Operating System and Quick Heal Antivirus-1Qty 3) ML -IOT Raspberry Pi3 & Pi4 Kit, Arduino sensor Kit- Base, & various type of Relay 4) UPS -3KVA Online Digital (Numeric)



Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82
Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in
Website- www.ssgmce.ac.in

1. Object Oriented Programming Laboratory



2. System Software Laboratory





Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82

Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in

Website- www.ssgmce.ac.in

3. Database Laboratory



4. Project Laboratory





Shri Gajanan Shikshan Sanstha's
**SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA**

"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"


Ph : +918669638081/82

Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in

Website- www.ssgmce.ac.in

5. Beginner's Laboratory



6. Data Science Laboratory





Shri Gajanan Shikshan Sanstha's
**SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA**

"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82

Fax : 091-7265-252346

Email.principal@ssgmce.ac.in, registrar@ssgmce.ac.in

Website- www.ssgmce.ac.in

7. Machine Learning and IOT Laboratory





Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDHANA (MAHARASHTRA STATE), INDIA

“Recognized by A.I.C.T.E., New Delhi” Affiliated to Sant Gadge Baba Amravati University, Amravati
 “Approved by the D.T.E., M.S. Mumbai”

Ph : +918669638081/82

Website- www.ssgmce.ac.in

Email: principal@ssgmce.ac.in

registrar@ssgmce.ac.in

2.3 Department of Information Technology

Sr. No.	Name of the Laboratory	Size (Sq. Mtrs.)	Major Equipment available in Laboratory
2.3.1	Data Engineering Laboratory	84.35	HP COPUMPTER SYSTEM PCS510 TOWER MODEL GEN6 H110 INTEL i5 PROCESSOR /8 GB RAM/500 GB SATA HDD/20” HP MONITOR/USB WIRED KEYBOARD & OPTICAL MOUSE, No = 25 LENOVO COPUMPTER SYSTEM PCS510 TOWER MODEL GEN6 H110 INTEL i3 PROCE4SSOR/4 GB RAM/500 GB SATA HDD/19.5” LED LENOVO MONITOR/USB WIRED KEYBOARD & OPTICAL MOUSE No = 15
2.3.2	Programming Laboratory	84.35	ARM 7 OASIS TITAN BOARD [KIT] 08 ARM 7 OASIS METIS BOARD 07 = 5KVA UPS WITH BATTRIES TESLA ACTIVE CHANNEL, 12 GB – NVILDIA GPU+ [GST] 01+ Geforce GTX TITAN X(PG60) GENERIC GPU + [GST] 02
2.3.3	AI Laboratory	84.35	1. COMPUTER SYSTEMS: HP-280 G1, DESKTOP PC, INTEL I3,3.6 GHZS, 4GB RAM DDR3,1600DIMM,500GB HDD, LCD HP COMPAQ MONITOR 18”, HP USB KEYBOARD AND MOUSE QTY = 16 COST 2. UPS: NUMERIC ONLINE UPS 10 KVA WITH DC POWER RACK QTY= 01
2.3.4	WEBTECH Laboratory	84.35	1. COMPUTER SYSTEMS: HP-280 G1, DESKTOP PC, INTEL I3,3.6 GHZS, 4GB RAM DDR3,1600DIMM,500GB HDD, LCD HP COMPAQ MONITOR 18”, HP USB KEYBOARD AND MOUSE QTY = 17 2. UPS: NUMERIC ONLINE UPS 10 KVA WITH DC POWER RACK QTY= 01



Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDHANA (MAHARASHTRA STATE), INDIA

"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
 "Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82

Website- www.ssgmce.ac.in

Email: principal@ssgmce.ac.in

registrar@ssgmce.ac.in

2.3.5	Operating System Laboratory	63.35	LENOVO COMPUTER SYSTEM THINK CENTRO MODEL NO.M72 SERIES INTEL CORE I3 2120 PROCESSOR INTEL MOTHERBOARD USB K 500 GB SATA HDD/19.5" LED LENOVO MONITOR/USB WIRED KEYBOARD & OPTICAL MOUSE NO.15: UPS: - 3KVA ONLINE WITH 12A SIX (06) BATTERY NO.01 24 PORT DLINK SWITCH NO.01: WRITING PAD (Digital Tab) NO. 01: SSD 240GB ADATA NO. 15
2.3.6	Hardware Laboratory	63.35	LENOVO COPUMPTER SYSTEM PCS510 TOWER MODEL GEN6 H110 INTEL i3 PROCESSOR/4 GB RAM/500 GB SATA HDD/19.5" LED LENOVO MONITOR/USB WIRED KEYBOARD & OPTICAL MOUSE: No. 10



Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82
Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in
Website- www.ssgmce.ac.in

1. Data Engineering Laboratory



2. Webtech Laboratory



3.



Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA

"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82

Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in

Website- www.ssgmce.ac.in

4. Operating System Laboratory



5. Hardware Laboratory





Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"


Ph : +918669638081/82
Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in
Website- www.ssgmce.ac.in

6. AI Laboratory



7. Programming Laboratory





Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDHANA (MAHARASHTRA STATE),
INDIA

“Recognized by A.I.C.T.E., New Delhi” Affiliated to Sant Gadge Baba Amravati University, Amravati
 “Approved by the D.T.E., M.S. Mumbai”

Ph : +918669638081/82
 Website- www.ssgmce.ac.in

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in

2.4 Department of Electronics and Telecommunication Engineering

Sr. No.	Name of the Laboratory	Size (Sq. Mtrs.)	Major Equipment available in Laboratory
2.4.1	Digital Signal Processing Laboratory	65.45	<ul style="list-style-type: none"> • P5 Computer Systems (16) • Logic Analyzer LA-5000 Series • DM 642 EVM Based Board for DSP • Interfacing Board for DM642 • Arbitrary Waveform Generator • TMS 320C6711 DSP Kit • ADC THS 1206 EVM • TMS 320C6711 DSP Kit • Fingerprint Daughter Card • Dskey Module • Cranes MSP Starter Kit • Matlab Software (Ver 7.0) • Triton IDE for ARM processor Kit (Oasis)
2.4.2	Microprocessor & Microcontroller Laboratory	99.25	<ul style="list-style-type: none"> • P5 Computer Systems (10) • ARM Processor Titan Board • ARM Processor Metis Board • ARM Processor Explorer Board • ARM Processor Voyager Board • GPS Module • Demo board from Freescale Micro-controller • Universal Trainer Kit for CPLD/FPGA TK Based • Virtex II xilinx Board with Xilinx & Sysgen Software • Xilinx Zybo Board • Nexys 3 Spartan Board • Xilinx & Sysgen Software
2.4.3	Power Electronics & Instrumentation Laboratory	99.25	<ul style="list-style-type: none"> • P5 Computer Systems (4) • AC Drive



Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDHANA (MAHARASHTRA STATE),
INDIA

"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
 "Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82
 Website- www.ssgmce.ac.in

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in

			<ul style="list-style-type: none"> • High Power Kits • Power Oscilloscopes • DSO • Invertors • Convertors • Choppers • Instrumentation kits • Study of Various Transducers • Radar based water level measurements • Test & Measure equipment • Fuzzy logic kits
2.4.4	Analogy and Digital IC Laboratory	90.16	<ul style="list-style-type: none"> • P5 Computer Systems (10). • Python (3.8). • CRO.100Mhz • DSO.50Mhz. • Single Phase Dimmer. • Digital IC Tester. • LCR Meter. • Measuring Equipment. • CD System. • (Logic Gates Trainer Kit) • Study of Various IC's. • DC Regulated Dual Power Supply-93 C Digital. • Digital Voltmeter & Ammeter. • Function Generator.
2.4.5	Electronic Device and Circuit Laboratory	60.48	<ul style="list-style-type: none"> • CRO 100 Mhz • CRO 30 Mhz • DSO 50 Mhz • DSO 60 Mhz • Measuring Equipment • CD SYSTEM, POWER SUPPLY, FUNCTION GENERATOR • MULTIMETER, CURRENT METER, VOLT METER, PC, IC Tester, etc
2.4.6	Communication Engineering Laboratory	90.16	<ul style="list-style-type: none"> • Pi3 Computer Systems (12) • CRO 100 MHz • Microwave Bench • Spectrum Analyzer



Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDHANA (MAHARASHTRA STATE),
INDIA

“Recognized by A.I.C.T.E., New Delhi” Affiliated to Sant Gadge Baba Amravati University, Amravati
 “Approved by the D.T.E., M.S. Mumbai”

Ph : +918669638081/82
 Website- www.ssgmce.ac.in

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in

				<ul style="list-style-type: none">• Signal Generator• Synthesized Function Gen• Fiber Optic Trainer (T& R)• Antenna Trainer Unit• GSM Evaluation Kit• Satellite Comm. Trainer• CDMA Direct Sequence• Spread Spectrum Trainer• CRO 100 MHz.• CRO 60 MHz• EPABX M/c with UPS• Wave & Propagation Trainer• Micro strip Trainer• Microwave Training System• Vector Network Analyzer
2.4.7	Electronics Workshop		70.70	<ul style="list-style-type: none">• Pi3 Computer Systems (06)• Oscilloscopes• Function generators
2.4.8	Project Laboratory		67.45	<ul style="list-style-type: none">• P5 Computer Systems (16)
2.4.9	VLSI & Embedded System Design Laboratory		84.23	<ul style="list-style-type: none">• Pi3 Computer Systems (31)• Cadence Tools
2.4.10	PG Laboratory	LAB-1	16.72	<ul style="list-style-type: none">• Pi3 Computer Systems Computer Systems (14)
		LAB-2	16.72	



Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"


Ph : +918669638081/82
Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in
Website- www.ssgmce.ac.in

1. Digital Signal Processing Laboratory



2. Microprocessor and Microcontroller Laboratory





Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"


Ph : +918669638081/82
Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in
Website- www.ssgmce.ac.in

3. Power Electronics/ Instrumentation Laboraroty



4. Analog and Digital IC Laboratory





Shri Gajanan Shikshan Sanstha's
**SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA**

"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82

Fax : 091-7265-252346


Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in

Website- www.ssgmce.ac.in

5. Electronics Device and Circuit Laboratory



6. Communication Engineering Laboratory





Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82
Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in
Website- www.ssgmce.ac.in

7. Electronics Workshop Laboratory



8. Project Laboratory





Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82
Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in
Website- www.ssgmce.ac.in

9. VLSI & Embedded System Design Laboratory



10.PG Laboratory





Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDHANA (MAHARASHTRA STATE), INDIA

“Recognized by A.I.C.T.E., New Delhi” Affiliated to Sant Gadge Baba Amravati University, Amravati
 “Approved by the D.T.E., M.S. Mumbai”

Ph : +918669638081/82
 Website- www.ssgmce.ac.in

Email: principal@ssgmce.ac.in
registrar@ssgmce.ac.in

2.5 Department of Applied Science and Humanities

Sr. No.	Name of the Laboratory	Size (Sq. Mtrs.)	Major Equipment available in Laboratory
2.5.1	Engineering Physics Laboratory	168.47	Cathod Ray Oscilloscope, Function generator, Laser Kit, Franck Hertz Experiment, Hall effect setup, Newton's ring apparatus, e/m by Bar Magnet, Fire Extinguisher - 6Kg (DCP) Computer System- HCL - Intel (R) Pentium(R) 4 CPU 3.20 GHz RAM – 2.50 GB 32-bit operating system
2.5.2	Engineering Chemistry Laboratory	168.47	Muffle Furnace, Oven, Distillation Plant, Viscometer, Pensky Marten apparatus, Digital Balance, Fire Extinguisher - 6 Kg (DCP), Fire safety stand with sand bucket Computer System – Lenovo – Intel (R) Pentium(R) D CPU 2.80GHz 2.79GHz RAM – 3 GB 32-Bit operating system
2.5.3	Language Laboratory	78.28	<div>Projector Optoma W400lve with standard accessories and as per po specification Q7d7243waaa1b066 (issued on date 17-01-2023) =Rs 42240/-</div> <div>5 KVA UPS with DC Powerpack Sr.no.V140700206 Po.no. 2100002458 (Issued dated 05.09.2014) 3yrs warranty,01 set=Rs.91011/-</div> <div>23 Lenovo ThinkCentre M 73 with i3-4310-4th generation desktop PC as per the following specification: Intel core i3-4130 processor-4th generation 3.44 Hz (3M Cache, 65 W) Intel H81 chipset, Single 4GB RAM, 1600 MHz UDIMM, 500GB, 7200 RAM SATA3 HDD, INTEL HD Graphics, Gigabit Ethernet Kld, USB optical scroll mouse, 18.5" inch LED Monitor</div> <div>24 HP make headphones with mic with std. Accessories.</div>



Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA

"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82

Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in

Website- www.ssgmce.ac.in

1. Engineering Physics Laboratory



2. Engineering Chemistry Laboratory





Shri Gajanan Shikshan Sanstha's
**SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA**

"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82

Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in

Website- www.ssgmce.ac.in

3. Language Laboratory





Shri Gajanan Shikshan Sanstha's

SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDHANA (MAHARASHTRA STATE), INDIA

"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati

"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82

Website- www.ssgmce.ac.in

Email: principal@ssgmce.ac.in

registrar@ssgmce.ac.in

2.6 Department of Mechanical Engineering

Sr. No.	Name of the Laboratory	Size (Sq. Mtrs .)	Major Equipment available in Laboratory
2.6.1	Internal Combustion Engine & Energy Conversion	163.90	Blower Test Rig
			Single Stage Reciprocating Air Compressor Test Rig
			Two Stage Reciprocating Air Compressor Test Rig
			3-Cylinder 4-Stroke Petrol Engine with Eddy Current Dynamometer
			Computerized 4-Cylinder 4-Stroke Diesel Engine with Eddy Current Dynamometer Test Rig
			Variable Compression Ratio (VCR) 1-Cylinder 4-Stroke Diesel Engine with Rope Brake Dynamometer Test Rig
			Four Cylinder 4-Stroke Diesel Engine M & M
			Automotive Exhaust Monitor & Diesel Smoke Meter
			Five Gas Exhaust Analyzer
	Refrigeration & Air Conditioning Laboratories		Leak Testing & Charging Unit
			Household Refrigerator
			Water Cooler Unit
			Vapour Compression Refrigeration System
			Reciprocating Air Conditioning Trainer
2.6.2	Dr. Georg H Endress Laboratory (Production Tech. Lab & Mechanical Measurement Lab.)	153.29	IOT & Industry 4.0 Enabled Pressure and Level Centre of Excellence Demo Rig.
			Profile Projector
			Portable Digital Surface Roughness Tester (Surftest)
			Tool Makers Microscope
			Autocollimator
			Vacuum Measurement Using Mcleod Gauge
			Flow Measurement Using Rotameter
			Vibration Measurement Piezoelectric Transducer
2.6.3	Computational Fluid Dynamics Laboratory (Fluid Power Laboratory)	163.90	Speed Measurement Using Stroboscope
			Pelton Wheel Turbine
			Francis Turbine
			Computer System I5 For CFD
			UPS (5 KVA)
			CFD Software Ansys Fluent & Ansys Mechanical



Shri Gajanan Shikshan Sanstha's

SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDHANA (MAHARASHTRA STATE), INDIA

"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati

"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82

Website- www.ssgmce.ac.in

Email: principal@ssgmce.ac.in

registrar@ssgmce.ac.in

2.6.4	SGTR	436.67	Vertical Machining Center CNC Turning Center CMSD Control Simulator
2.6.5	CAD/CAM Centre	83.61	Computer Application Software Catia V5 Autodesk Inventor Series Pro-7 Solid Edge V 14 Ansys Introductory Software V 7.1 Upgrade Version – Rel 9.0 UG NX3 Advanced Designer Bundle Witness Witness 2006 (Rel 2.0) Computer System - Desktop Pc I 3 Lenovo ThinkCentre Numeric Onfiniti Online Ups with Quanta Make Smf Batteries
2.6.6	Mechanics of Material/ESA Laboratory & Stress Analysis Laboratory	66.89	A) Computerized Universal Testing Machine, Model-TUE-C-400 B) Data Acquisition System C) Computer -Lenovo Izod Impact Testing Machine (Capacity -30 Kg) Spring Apparatus Torsion Test Apparatus Diffused Light Research Polariscopes Model Making Kit A) Model Cutter, B) Model Polisher C) Dust Collector D)Telemicroscope Reflection Polariscopes Stress Freezing Oven Close Up Lens Type Camera For Photography Oblique Incidence Attachment Strain Gauge Rosette Apparatus Model Of Different Photo Elastic Material Brittle Coating Materials
2.6.7	Computational Fluid Dynamics Laboratory & Fluid Power Laboratory	163.90	Pelton Wheel Turbine Francis Turbine Computer System I5 For CFD UPS (5 KVA) CFD Software Ansys Fluent & Ansys Mechanical
2.6.8	Engineering Mechanics Laboratory &	133.90	Single Purchase Winch Crab Differential Axle And Wheel Flywheel Simple Screw Jack Pneumatic Trainer Kit



Shri Gajanan Shikshan Sanstha's

SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDHANA (MAHARASHTRA STATE), INDIA

"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati

"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82

Website- www.ssgmce.ac.in

Email: principal@ssgmce.ac.in

registrar@ssgmce.ac.in

	Mechatronics Laboratory		XY Position Table
			Sensors Kit
2.6.9	Kinematic of Machine Laboratory & Heat Transfer Laboratory	200.75	FFT Analyzer
			Vibration Analysis Machine
			Heat Exchanger
			Pin Fin Apparatus
			Journal Bearing Apparatus
			Gyroscope Apparatus
			Whirling Of Shaft Set-Up
			Balancing Of Rotating Masses Set-Up



Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82
Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in
Website- www.ssgmce.ac.in

2.6.1 IC Engine & Energy Conversion & Refrigeration Laboratory



2.6.2 Dr. Georg H Endress Laboratory





Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA

"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82
Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in
Website- www.ssgmce.ac.in

2.6.3 Computational Fluid Dynamics Centre





Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82
Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in
Website- www.ssgmce.ac.in

2.6.4 SGTR





Shri Gajanan Shikshan Sanstha's
**SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA**

"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in

Fax : 091-7265-252346

Website- www.ssgmce.ac.in

2.6.5 CAD/CAM Laboratory





Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82
Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in
Website- www.ssgmce.ac.in

2.6.6 Mechanics of Material & Stress Analysis Laboratory





Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"


Ph : +918669638081/82
Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in
Website- www.ssgmce.ac.in

2.6.7 Computational Fluid Dynamics & FP Laboratory



2.6.8 Engineering Mechanics & Mechatronics Laboratory





Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82

Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in

Website- www.ssgmce.ac.in

2.6.9 Heat Transfer Laboratory





Shri Gajanan Shikshan Sanstha's
**SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA**

"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"


Ph : +918669638081/82

Fax : 091-7265-252346

Email.principal@ssgmce.ac.in, registrar@ssgmce.ac.in

Website- www.ssgmce.ac.in

3. Central Workshop (1226 Sq. Mtr)



[Back](#)



Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82

Fax : 091-7265-252346

Email.principal@ssgmce.ac.in, registrar@ssgmce.ac.in

Website- www.ssgmce.ac.in

4. Drawing Hall (200.75 Sq. Mtr)



[Back](#)



Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82
Fax : 091-7265-252346

Email.principal@sbgmce.ac.in, registrar@sbgmce.ac.in
Website- www.sbgmce.ac.in

5. Seminar Hall

Sr. No.	Title	Size in Sq. Mtr
5.1	Mechanical Seminar Hall	83.61
5.2	New Seminar Hall	715.5
5.3	MBA Seminar Hall	92.86
5.4	Swadhay Kakshya	102.5
5.5	EXTC Seminar Hall	90.00
5.6	Electrical Seminar Hall	90.00



Shri Gajanan Shikshan Sanstha's
**SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA**
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82
Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in
Website- www.ssgmce.ac.in



Figure 1 Mechanical Seminar Hall



Figure 2 New Seminar Hall



3MBA Seminar Hall



Electrical Engg Seminar Hall



Swadhyay Kakshya



EXTC Seminar Hall





Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82
Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in
Website- www.ssgmce.ac.in

6. Departmental Conference/Meeting Room



[Back](#)




Shri Gajanan Shikshan Sanstha's
**SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA**
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82
Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in
Website- www.ssgmce.ac.in

7. Central Library





Shri Gajanan Shikshan Sanstha's
**SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA**


"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82

Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in

Website- www.ssgmce.ac.in



Shegaon, Maharashtra, India
QMMG+2X9, SBI Colony, Shegaon, Maharashtra 444203, India
Lat 20.782585°
Long 76.677481°
24/02/24 11:08 AM GMT +05:30



Shegaon, MH, India
NH 548C, Shegaon, Shegaon, 444203, MH,
India
Lat 20.778385, Long 76.676989
10/12/2023 01:26 PM GMT+05:30
Note : Captured by GPS Map Camera



Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA

"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82

Fax : 091-7265-252346

Email.principal@ssgmce.ac.in, registrar@ssgmce.ac.in

Website- www.ssgmce.ac.in



[Back](#)



Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"


Ph : +918669638081/82

Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in

Website- www.ssgmce.ac.in



8. Departmental Library



[Back](#)



9. Girls & Ladies Common Room





Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82

Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in

Website- www.ssgmce.ac.in

10. IQAC Cell



[Back](#)



Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"




Ph : +918669638081/82

Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in

Website- www.ssgmce.ac.in

11. Training & Placement Cell



[Back](#)



Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82

Fax : 091-7265-252346

Email.principal@ssgmce.ac.in, registrar@ssgmce.ac.in

Website- www.ssgmce.ac.in

12. Interview Room



[Back](#)



Shri Gajanan Shikshan Sanstha's
**SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA**
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82
Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in
Website- www.ssgmce.ac.in

13. Alumni Office



[Back](#)



Shri Gajanan Shikshan Sanstha's
**SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA**
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82
Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in
Website- www.ssgmce.ac.in

14. Auditorium New (Size = 2257.5 Sq. Mtr)



[Back](#)



Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82
Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in
Website- www.ssgmce.ac.in

15. Auditorium Old (Size = 2050 Sq. Mtr)





Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82

Fax : 091-7265-252346

Email.principal@ssgmce.ac.in, registrar@ssgmce.ac.in

Website- www.ssgmce.ac.in


16. Music Room



[Back](#)



17. Multimedia Unit





18. Data Centre





Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"


Ph : +918669638081/82

Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in

Website- www.ssgmce.ac.in


19. Research Centre (SGIARC)



[Back](#)



20. Computer Maintenance






21. Power House






22. Solar Section





23. Gymnasium



[Back](#)



Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82
Fax : 091-7265-252346

Email.principal@ssgmce.ac.in, registrar@ssgmce.ac.in
Website- www.ssgmce.ac.in

24. Yoga Hall



[Back](#)



Shri Gajanan Shikshan Sanstha's
**SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA**
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82

Fax : 091-7265-252346

Email.principal@ssgmce.ac.in, registrar@ssgmce.ac.in

Website- www.ssgmce.ac.in

25. Prayer Hall



[Back](#)



Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82

Fax : 091-7265-252346

Email.principal@ssgmce.ac.in, registrar@ssgmce.ac.in

Website- www.ssgmce.ac.in

26. ATM Facility



[Back](#)




Shri Gajanan Shikshan Sanstha's
**SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA**
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82
Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in
Website- www.ssgmce.ac.in

27. Central Store



[Back](#)



Shri Gajanan Shikshan Sanstha's
**SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA**
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82

Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in

Website- www.ssgmce.ac.in

28. Students Consumer Store



[Back](#)



Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"


Ph : +918669638081/82

Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in

Website- www.ssgmce.ac.in

29. Canteen



[Back](#)



Shri Gajanan Shikshan Sanstha's
**SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA**
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in

Fax : 091-7265-252346

Website- www.ssgmce.ac.in

30. Dispensary



[Back](#)



Shri Gajanan Shikshan Sanstha's
**SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA**

"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"


Ph : +918669638081/82

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in

Fax : 091-7265-252346

Website- www.ssgmce.ac.in

31. Sports Office






Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82
Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in
Website- www.ssgmce.ac.in

32. Indoor Sports



[Back](#)



Shri Gajanan Shikshan Sanstha's
**SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA**

"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82

Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in

Website- www.ssgmce.ac.in

33. Outdoor Sports



[Back](#)



Shri Gajanan Shikshan Sanstha's
**SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA**

"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82

Fax : 091-7265-252346

Email.principal@ssgmce.ac.in, registrar@ssgmce.ac.in

Website- www.ssgmce.ac.in

34. NSS & NCC Office





Shri Gajanan Shikshan Sanstha's
**SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA**

"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82



Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in

Website- www.ssgmce.ac.in

35. Hostels

Girls Hostel






Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82
Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in
Website- www.ssgmce.ac.in

Boys Hostel



[Back](#)



Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA

"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82
Fax : 091-7265-252346

Email.principal@ssgmce.ac.in, registrar@ssgmce.ac.in
Website- www.ssgmce.ac.in

36. Central Computing Facility

Sr. No	Size in Sq. Mtr	Remark
1	168.47	<p>Projector Optoma W400lve with standard accessories and as per po specification Q7d7243waaa1b066 (issued on date 17-01-2023) =rs42240/- 5 KVA UPS with DC Powerpack Sr.no.V140700206 Po.no. 2100002458 (Issued dated 05.09.2014) 3yrs warranty,01 set=Rs.91011/-</p> <p>70 Lenovo ThinkCentre M 73 with i3-4310-4th generation desktop PC as per the following specification: Intel core i3-4130 processor-4th generation3.44 Hz (3M Cache,65 W) Intel H81 chipset, Single 4GB RAM,1600 MHz UDIMM,500GB,7200 RAM SATA3 HDD, INTEL HD Graphics, Gigabit Ethernet Kld, USB optical scroll mouse,18.5" inch LED Monitor</p>



Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA

"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"


Ph : +918669638081/82

Fax : 091-7265-252346

Email: principal@ssgmce.ac.in, registrar@ssgmce.ac.in

Website- www.ssgmce.ac.in

Central Computing Facility





Shri Gajanan Shikshan Sanstha's
SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING
SHEGAON – 444203, DIST. BULDANA (MAHARASHTRA STATE), INDIA
"Recognized by A.I.C.T.E., New Delhi" Affiliated to Sant Gadge Baba Amravati University, Amravati
"Approved by the D.T.E., M.S. Mumbai"

Ph : +918669638081/82

Fax : 091-7265-252346

Email.principal@ssgmce.ac.in, registrar@ssgmce.ac.in

Website- www.ssgmce.ac.in

37. Property Card of Institution

Sr. No	Title of Document	Remark
1	Village Form 7/12 (Gaaw Namuna 7 and 12)	Record of Rights



अहवाल दिनांक : 21/09/2022

महाराष्ट्र शासन

गाव नमुना सात (अधिकार अभिलेख पत्रक)

। महाराष्ट्र जमीन महसूल अधिकार अभिलेख आणि नोंदवहा (तयार करणे व सुस्थितीत ठेवणे) नियम, १९७१ यातील नियम ३.५.६ आणि ७ ।



गाव :- शेगांव भाग 2

तालुका :- शेगाव

जिल्हा :- बुलडाणा

(945040)

ULPIN : 30041471031

भूमापन क्रमांक व उपावेभाग : 310/2

30041471031

भू-धारणा पद्धती : भागवटादार वर्ग -1

शेताचे स्थानिक नाव :

क्षेत्र, एकक व आकारणी	खाते क्र.	भागवटादाराचे नांव	क्षेत्र	आकार	पो.ख.	फे.फा.	कुळ, खंड व इतर अधिकार
क्षेत्राचे एकक हे.आर.चौ.मी. अ) लागवड योग्य क्षेत्र जेरायत 7.16.00 बागायत एकुण ला.यो. 7.16.00 क्षेत्र ब) पोटा-खराव क्षेत्र (लागवड अयोग्य) वर्ग (अ) 1.92.00 वर्ग (ब) एकुण पो.ख. 1.92.00 एकुण क्षेत्र 9.08.00 (अ+ब) आकारणी 7.78 जुडी किंवा विशेष आकारणी	697	श्री गजानन शिक्षण संस्था शेगाव अध्यक्ष	3.17.00	3.44	0.07.00	(15324)	कुळाचे नाव व खंड
	781	रविंद्र भास्करराव सजय भास्करराव शिवशंकर भास्करराव सुमनबाई भास्करराव देशमुख -----सामाईक क्षेत्र-----	1.1000	1.20	0.8400	(15324) (15324) (15324) (41309)	इतर अधिकार [अकृषिक वगैरे-रहिवास (गावठाणाबाहेरील) (5) [कृषि-1/6/2014-सह-सेमांच-मांचे का-16/3/85-नुसार-1,70,000/-रु-दंड-कस्थित अस्तित्व (5) अकृषिक वापर - रहिवास (गावठाणाबाहेरील) रा.प्र.क्र.मि.नं. 37/शेगांव/12/२०१४-15 दि.10/9/2014 (7) NAP 34/शेगांव/1/81-82 अकृषिक क्षेत्र-3.24 (7) NAP 34/शेगांव/4/85-86 दि.13/9/85 अकृषिक 0.39 (7) NAP 34/शेगांव/3/85-86 दि.12/9/85 अकृषिक 0.39 (7) NAP 34/शेगांव/3/86-87 (7) NAP 34/शेगांव/2/83-84 दि.23/9/83 अकृषिक 0.30 (7) प्रलंबित करफार : नाही.
	2259	मधुसूदन सत्यनारायण अग्रवाल	0.30.00	0.33		(2681)	
	2260	सिंधुबाई मुगुटराव देशमुख	0.39.50	0.43		(6820)	
	2261	आनिल मुगुटराव देशमुख	0.21.00	0.23		(6820)	
	2262	विजया काशीराम रडक आनिल मुगुटराव देशमुख दीपक मुगुटराव देशमुख -----सामाईक क्षेत्र-----	0.3900	0.42		(6821) (6821) (6821)	
	2263	मुगुटराव किसनराव देशमुख तता दीपक देशमुख -----सामाईक क्षेत्र-----	0.3900	0.42		(6822) (6822)	
	2268	[दत्तात्रय-केशवराव-पानसरे [मोहन-केशवराव-पानसरे [लोना-संजय-आरकर [प्रतिभा-केशवराव-पानसरे -----सामाईक क्षेत्र-----	0.20.00 0	0.22 0		(34471) (34471) (34471) (34471)	
	2270	सुपमा राजेंद्र देशमुख	0.39.50	0.43		(6823)	
	11610	भूषण दिलीप पाटील दिलीप पंढरीनाथ पाटील/सोनवणे । -----सामाईक क्षेत्र-----	1.6200	1.76		(31336) (31336)	
	16054	मोहन केशवराव पानसरे प्रमिला केशवराव पानसरे दत्तात्रय केशवराव पानसरे लोना संजय आरकर -----सामाईक क्षेत्र-----	0.2000	0.22		(34471) (34471) (34471) (34471)	
जुने करफार क्र. (1) (7) (2681) (6820) (6821) (6822) (15174) (15324) (30669) (31336) (32966) (36814)							सोमा आणि भूमापन विव्हः



गाव नमुना बारा (पिकांची नोंदवही)

। महाराष्ट्र जमीन महसूल अधिकार अभिलेख आणि नोंदवहा (तयार करणे व सुस्थितीत ठेवणे) नियम, १९७१ यातील नियम २९ ।

गाव :- शेगांव भाग 2 (945040)

तालुका :- शेगाव

जिल्हा :- बुलडाणा

भूमापन क्रमांक व उपावेभाग : 310/2

पिकांखालील क्षेत्राचा तपशील



अहवाल दिनांक : 21/09/2022

महाराष्ट्र शासन
गाव नमुना सात (अधिकार अभिलेख पत्रक)

[महाराष्ट्र जमीन महसूल अधिकार अभिलेख आणि नोंदवह्या (तयार करणे व सुस्थितीत ठेवणे) नियम, १९७१ यातील नियम ३,५,६ आणि ७]



गाव :- शेगांव भाग 2

तालुका :- शेगाव

जिल्हा :- बुलडाणा

(945040)

ULPIN : 23182176509

भूमापन क्रमांक व उपावेभाग : 343/1

23182176509

भू-धारणा पद्धती : भोगवटादार वर्ग -1

शेताचे स्थानिक नाव :

क्षेत्र, एकक व आकारणी	खाते क्र.	भोगवटादाराचे नाव	क्षेत्र	आकार	पो.ख.	फे.फा.	कुळ, खंड व इतर अधिकार
क्षेत्राचे एकक हे.आर.चौ.मी. अ) लागवड योग्य क्षेत्र जिरायत 3.48.00 बागायत - एकुण ला.यो. 3.48.00 क्षेत्र ब) पोटा-खराब क्षेत्र (लागवड अयोग्य) वर्ग (अ) - वर्ग (ब) - एकुण पो.ख. 0.00.00 एकुण क्षेत्र 3.48.00 (अ+ब) आकारणी 2.40 जुडी किंवा विशेष आकारणी जुन फेरफार क्र.	697	श्री गजानन शिक्षण संस्था शेगाव अध्यक्ष	3.48.00	2.39	(15232)		कुळचे नाव व खंड इतर अधिकार अकृषिक चापर - रडियास (गावठाणाबाहेरील) वि.ए.डी.ओ.खामगांव यांचे फाईल वरील रेफे.नं एन.ए.पि.३४ शेगांव ०१/०१/०२ (१११११) प्रलंबित करफार : नाही.
							सोमा आणि भूमापन किंही :

गाव नमुना बारा (पिकांची नोंदवहो)

[महाराष्ट्र जमीन महसूल अधिकार अभिलेख आणि नोंदवह्या (तयार करणे व सुस्थितीत ठेवणे) नियम, १९७१ यातील नियम २९]

गाव :- शेगांव भाग 2 (945040)

तालुका :- शेगाव

जिल्हा :- बुलडाणा

भूमापन क्रमांक व उपावेभाग : 343/1

पिकाखालील क्षेत्राचा तपशील								लाभवडीसाठी उपलब्ध नसलेली जमीन	शेरा
वर्ष	हंगाम	खाता क्रमांक	पिकाचा प्रकार	पिकाचे नाव	जल सिंचित	अजल सिंचित	जल सिंचनाचे साधन	स्वरूप	क्षेत्र
(१)	(२)	(३)	(४)	(५)	(६)	(७)	(८)	(९)	(१०)
					आर. चौ.मी	आर. चौ.मी			आर. चौ.मी
2016-17	खरीप							अकृषक	3.4800
2017-18	खरीप							अकृषक	3.4800
2018-19	खरीप							अकृषक	3.4800

टीप : * सदरची नोंद मोबाइल ॲप द्वारे घेणेत आलेली आहे

"या प्रमाणित प्रतीसाठी फी म्हणून १५/- रुपये मिळाले."

तलासी शेगांव भाग-२
ता.शेगांव जि.बुलडाणा



अहवाल दिनांक : 16/09/2022

महाराष्ट्र शासन
गाव नमुना सात (अधिकार अभिलेख पत्रक)

(महाराष्ट्र जमीन महसूल अधिकार अभिलेख आणि नोंदवहा (तयार करणे व सुस्थितीत ठेवणे) नियम, १९७१ यातील नियम ३, ५, ६ आणि ७)



गाव :- शेगांव भाग 2
(945040)

तालुका :- शेगाव

जिल्हा :- बुलडाणा

ULPIN : 24761164844

भूमापन क्रमांक व उपोवेभाग : 343/2

24761164844

भू-धारणा पद्धती : भोगवटादार वर्ग -1

शेताचे स्थानिक नाव :

क्षेत्र, एकक व आकारणी	खाते क्र.	भोगवटादाराचे नांव	क्षेत्र	आकार	पो.ख.	फे.फा.	कुळ, खंड व इतर अधिकार
क्षेत्राचे एकक हे.आर.चौ.मी. अ) लागवड योग्य क्षेत्र जिरायत 13.15.00 बागायत - एकूण ला.यो. 13.15.00 क्षेत्र ब) पोटा-खराब क्षेत्र (लागवड अयोग्य) वर्ग (अ) - वर्ग (ब) - एकूण पो.ख. 0.00.00 एकूण क्षेत्र 13.15.00 (अ+ब) आकारणी 8.00 जुडी किंवा विशेष आकारणी - जमिनी फेरफार क्र.	697	श्री गजानन शिक्षण संस्था शेगाव अध्यक्ष	13.15.00	8.00	(15233)		कुळाचे नाव व खंड इतर अधिकार अकृषिक वापर - रहिवास (गावठाणाबाहेरील) वि.उ.वि.अधि.खाम.पांचे NAF 34/शेगांव/1/02/03 दि.23/11/02 (8) प्रलंबित प्रकार : नाही.
							सामा आणि भूमापन विभाग :

गाव नमुना बारा (पिकांची नोंदवही)

(महाराष्ट्र जमीन महसूल अधिकार अभिलेख आणि नोंदवहा (तयार करणे व सुस्थितीत ठेवणे) नियम, १९७१ यातील नियम २९)

गाव :- शेगांव भाग 2 (945040)

तालुका :- शेगाव

जिल्हा :- बुलडाणा

भूमापन क्रमांक व उपोवेभाग : 343/2

पिकांखालील क्षेत्राचा तपशील								लागवडीसाठी उपलब्ध नसलेली जमीन	शेरा
वर्ष	हंगाम	खाता क्रमांक	पिकाचा प्रकार	पिकाचे नाव	जल सिंचित	अजल सिंचित	जल सिंचनाचे साधन	स्वरूप	क्षेत्र
(१)	(२)	(३)	(४)	(५)	(६)	(७)	(८)	(९)	(१०)
					आर. चौ.मी	आर. चौ.मी			आर. चौ.मी
2016-17	खरीप							अकृषक	13.1500
2017-18	खरीप							अकृषक	13.1500
2018-19	खरीप							अकृषक	13.1500

टीप : * सदरची नोंद मोबाइल ॲप द्वारे घेणेत आलेली आहे

"या प्रमाणित प्रतीसाठी फी म्हणून ₹५/- रुपये मिळाले."

तलाठी शेगाव भाग-२
ता.शेगाव जि.बुलडाणा

महाराष्ट्र शासन
गाव नमुना सात (आधिकार अभिलेख पत्रक)



32625456570

क्षेत्र, एकक व आकारणी	खाते क्र.	भोगवटादाराचे नांव	क्षेत्र	आकार	पो.ख.	फे.फा.	कुळ, खंड व इतर अधिकार
क्षेत्राचे एकक हे.आर.चौ.मी अ) लागवड योग्य क्षेत्र जिरायत - बागायत - एकुण ला.योग्य क्षेत्र 0.93.00 ब) पोट-खराब क्षेत्र (लागवड अयोग्य) वर्ग (अ) - वर्ग (ब) - एकुण पो.ख. 0.00.00 एकुण क्षेत्र 0.93.00 (अ+ब) आकारणी 0.48 जूडी किंवा विशेष आवरणणी	697	श्री गजानन शिक्षण संस्था शेगाव अध्यक्ष	0.93.00	0.48	(15508)	कुळाचे नांव व खंड इतर अधिकार इतर मा उप वि अ खा भा गांव यांचे फायदावरित रा प्र क्र/L.N.D/21/1/96-(15508) १७/शेगाव प्रकरणातील आदेश दि २३/५/२००९ नुसार अध्यक्षा श्री (15508) गजानन शिक्षण संस्था शेगाव र न F 509 बुलडाणा हॉमिन स न (15508) ३४४ मध्ये १.१२ आर ब ३४५/२ मध्ये ०.९३ आर जमीन मुला सुलीच्या (15508) खोल्याचा मोदानासाठी महसूल मुक्त ११ वर्षांच्या दिना मुदतीकाँग्रेस शक्ती व अटीनुसार मंजूर करण्यात आली. (15508) प्रतिबंधक फोन : नाही.	
जने फेरफार कर. (15238)							सीमा आणि भूभाषणे किंवा :

भूमापन क्रमांक व उपोवेभाग : 345/2

			पिकाखालील क्षेत्राचा तपशील					लागवडीसाठी उपलब्ध नसलेली जमीन		शेरा
वर्ष	हंगाम	खाता क्रमांक	पिकाचा प्रकार	पिकाचे नाव	जल सिंचित	अजल सिंचित	जल सिंचनाचे साधन	स्वरूप	क्षेत्र	
(१)	(२)	(३)	(४)	(५)	(६)	(७)	(८)	(९)	(१०)	(११)
					आर. चौ.मी	आर. चौ.मी			आर. चौ.मी	
2016-17	खरीप		मिश्र	कापूस		0.8000				
								अकृषक	0.9300	
			निभळ	तुर		0.1000				
2017-18	खरीप		मिश्र	कापूस		0.8000				
								अकृषक	0.9300	
			निभळ	तुर		0.1000				
2018-19	खरीप							अकृषक	0.9300	
			निभळ	तुर		0.1000				

तलाठी शेगांव भाग-२
ता.शेगांव जि.बुलडाणा

वर्ष:2023-24		गाव नमुना आठ-अ धारण जमिनीची नोंदवही (कृषिक) (आसामीवार खतावणी -- जमाबंदी पत्रक)					10/10/2023		
गाव: शेगांव भाग 2		तालुका: शेगाव					जिल्हा: बुलडाणा		
गाव नमुना सहा मधील नोंद	भूमापन क्रमांक व उपविभाग क्रमांक	क्षेत्र	क्षेत्र	क्षेत्र	वसुलीसाठी	एकूण			
		लागवडी योग्य क्षेत्र	पोटखराब क्षेत्र	एकूण क्षेत्र	आकारणी किंवा जुडी	दुमाला जमिनीवरील नुकसान.	स्थानिक उपकर		
		(हे.आर.चौ.मी)	(हे.आर.चौ.मी)	(हे.आर.चौ.मी)			जि.प. ग्रा. प.		
(१)	(२)	(३अ)	(३ब)	(३क)	(४)	(५)	(६अ)	(६ब)	(७)
खाते श्री गजानन शिक्षण संस्था शेगाव अध्यक्ष									
क्रमांक 697									
व्यक्तिगत खातेदार	310/2	3.17.00	0.07.00	3.24.00	3.44	0	24.08	3.44	30.96
	343/1	3.48.00	0.0000	3.48.00	2.39	0	16.73	2.39	21.51
	343/2	13.15.00	0.0000	13.15.00	8	0	56	8	72
	345/2	0.93.00	0.0000	0.93.00	0.48	0	3.36	0.48	4.32
एकूण		20.73.00	0.07.00	20.80.00	14.31	0	100.17	14.31	128.79

"या प्रमाणित प्रतीसाठी फी म्हणून ₹५/- रुपये मिळाले."

दिनांक :- 10/10/2023

सांकेतिक क्रमांक :- 2704000340404000011020232874

(नाव :- वेभव विश्वासराव देशमुख)

तलाठी साक्षा :- शेगांव भाग 2 ता :- शेगाव जि. बुलडाणा

तलाठी साक्षा :- शेगांव भाग-२
ता. शेगांव जि. बुलडाणा



गाव नमुना सात (आधिकार अभिलेख पत्रक)



12373894406

शेताचे स्थानिक नाव :

[illegible]

जुने फेरफार क्र. (1622)(1650)(7825)(10127)(15236)(23608)(29626)(34357)(36253)(37302)(37621) (41700)	सोमा आणि भुमापन किंहे :
--	-------------------------

गाव नमुना बारा (पिकांची नोंदवही)

। महाराष्ट्र जमीन महसूल अधिकार अभिलेख आणि नोंदवही (तयार करणे व सुस्थितीत ठेवणे) नियम, १९७९ चातील नियम २९।

गाव :- शेगांव भाग २ (945040)

तालुका :- शेगांव

जिल्हा :- बुलडाणा

भुमापन क्रमांक व उपावेभाग : 345/1

			पिकांखालील क्षेत्राचा तपशील					सामवडीसाठी उपलब्ध नसलेली जमीन		शेरा
वर्ष	हंगाम	खाता क्रमांक	पिकाचा प्रकार	पिकाचे नाव	जल सिंचित	अजल सिंचित	जल सिंचनाचे साधन	स्वरूपा	क्षेत्र	
(१)	(२)	(३)	(४)	(५)	(६)	(७)	(८)	(९)	(१०)	(११)
					हे.आर. चौ.मी	हे.आर. चौ.मी			हे.आर. चौ.मी	
2022-23	संपूर्ण वर्ष	18865*						खडक पड	11.6400	

टीप : * सदरची नोंद मोबाइल ॲप द्वारे घेणेत आलेली आहे

"या प्रमाणित प्रतीसाठी फी म्हणून १५/- रुपये मिळाले."

दिनांक :- 10/10/2023

संकीर्तक क्रमांक :- 2704000340404000011020231885

(नाव :- वेभव विश्वासराव दशमुख)

तलाठी साक्षात :- शेगांव भाग 2 तलाठी :- शेगांव जि. बुलडाणा

तलाठी शेगांव भाग-२
ता.शेगांव जि.बुलडाणा



अहवाल दिनांक : 11/10/2022

महाराष्ट्र शासन
गाव नमुना सात (अधिकार अभिलेख पत्रक)

[महाराष्ट्र जमीन महसूल अधिकार अभिलेख आणि नोंदवह्या (तयार करणे व सुस्थितीत ठेवणे) नियम, १९७१ यातील नियम ३, ५, ६ आणि ७]



गाव :- शेगांव भाग 2
(945040)

तालुका :- शेगाव

जिल्हा :- बुलडाणा

ULPIN : 21963122604

भूमापन क्रमांक व उपोवेभाग : 344

21963122604

भू-धारणा पद्धती : भोगवटादार वग -1

शेताचे स्थानिक नाव :

क्षेत्र, एकक व आकारणी	खाते क्र.	भोगवटादाराचे नांव	क्षेत्र	आकार	पो.ख.	फे.फा.	कुळ, खंड व इतर अधिकार
क्षेत्राचे एकक हे.आर.चौ.मी	[404]	[महाराष्ट्र सरकार-मुबई	1.12.00	0.58	1	(15508)	कुळाचे नाव व खंड
अ) लागवड योग्य क्षेत्र	[697]	[श्री गजानन शिक्षण संस्था शेगाव	0.77.00	0.40	8.3500	(1)	इतर अधिकार
जिरायत बागायत		अध्यक्ष					इतर
एकुण ला.यो. क्षेत्र	8958	श्री गजानन शिक्षण संस्था शेगाव	0.12.00	0.06	1.00.00	(1)	मा उपविभागीय अधिकारी खामगांव यांचे
ब) पोट-खराब क्षेत्र (लागवड अयोग्य)		अध्यक्ष					फायलावरील रा प्र क्र/एल ए (15508)
वग (अ)	8.35.00	श्री गजानन शिक्षण संस्था शेगाव	0.65.00	0.34	7.35.00	(1)	डी/21/1/96-97/शेगांव प्रकरणातील आदेश दि
वग (ब)		अध्यक्ष					7/3/2005 नुसार (15508)
एकुण पो.ख.	8.35.00						अध्यक्ष श्री गजानन शिक्षण संस्था शेगांव र न
एकुण क्षेत्र (अ+ब)	9.12.00						F 569 बुलडाणा हयाना स न 344 मधील 1.12 हे
आकारणी	0.40						आर व 345/2 मधील 0.93 आर (15508)
जुडी किंवा विशेष आकारणी							जमीन मुलामुलीच्या खेळांच्या मैदानासाठी
							महसुल मुक्त 99 वर्षांच्या (15508)
							दिर्य मुदतीकरिता शर्तीव अटीनुसार मंजुर
							करण्यात आली. (15508)
							प्रलंबित फेरफार : नाही.
जुन फेरफार क्र. (15235)(15508)							सामा आणि भूमापन चिन्ह :

गाव नमुना बारा (पिकांची नोंदवहो)

[महाराष्ट्र जमीन महसूल अधिकार अभिलेख आणि नोंदवह्या (तयार करणे व सुस्थितीत ठेवणे) नियम, १९७१ यातील नियम २९]

गाव :- शेगांव भाग 2 (945040)

तालुका :- शेगाव

जिल्हा :- बुलडाणा

भूमापन क्रमांक व उपोवेभाग : 344

पिकाखालील क्षेत्राचा तपशील								लोगवडीसाठी उपलब्ध नसलेली जमीन		शेरा
वर्ष	हंगाम	खाता क्रमांक	पिकाचा प्रकार	पिकाचे नाव	जल सिंचित	अजल सिंचित	जल सिंचनाचे साधन	स्वरूप	क्षेत्र	
(१)	(२)	(३)	(४)	(५)	(६)	(७)	(८)	(९)	(१०)	(११)
					आर. चौ.मी	आर. चौ.मी			आर. चौ.मी	
2016-17	खरीप							अकृषक	8.0000	
								पडीत	0.7700	
2017-18	खरीप							अकृषक	8.0000	
								पडीत	0.7700	
2018-19	खरीप							अकृषक	8.0000	
								पडीत	0.7700	

वर्ष: 2023-24		गाव नमुना आठ-अ धारण जमिनीची नोंदवही (कृषिक) (आसामीवार खतावणी -- जमाबंदी पत्रक)				10/17/2023			
गाव: शेगांव भाग 2		तालुका: शेगाव				जिल्हा: बुलडाणा			
गाव नमुना सहा मधील नोंद	भूमापन क्रमांक व उपविभाग क्रमांक	क्षेत्र	क्षेत्र	क्षेत्र	वसुलीसाठी	एकूण			
		लागवडी योग्य पोटखराब क्षेत्र	एकूण क्षेत्र	आकारणी किंवा जुडी	दुमाला जमिनीवरील नुकसान.	स्थानिक उपकर			
		(हे.आर.चौ.मी)	(हे.आर.चौ.मी)	(हे.आर.चौ.मी)		जि.प. ग्रा. प.			
(१)	(२)	(३अ)	(३ब)	(३क)	(४)	(५)	(६अ)	(६ब)	(७)
खाते क्रमांक 8958	श्री गजानन शिक्षण संस्था शेगांव अध्यक्ष .								
व्यक्तिगत खातेदार	344	0.12.00	1.00.00	1.12.00	0.06	0	0.42	0.06	0.54
	345/1	0.28.00	0.58.00	0.86.00	0.26	0	1.82	0.26	2.34
एकूण		0.40.00	1.58.00	1.98.00	0.32	0	2.24	0.32	2.88

"या प्रमाणित प्रतीसाठी फी म्हणून १५/- रुपये मिळाले."

दिनांक :- 17/10/2023

सांकेतिक क्रमांक :- 27040003404040000110202321431

(नाव :- वैभव विश्वासराव देशमुख)

तलाठी साक्षा :- शेगांव भाग 2 ता :- शेगाव जि :- बुलडाणा

तलाठी शेगांव भाग-३
ता.शेगांव जि.बुलडाणा

वर्ष: 2023-24		गाव नमुना आठ-अ धारण जमिनीची नोंदवही (कृषिक) (आसामीवार खतावणी -- जमाबंदी पत्रक)				10/17/2023	
गाव: शेगांव भाग 2		तालुका: शेगाव				जिल्हा: बुलडाणा	
गाव नमुना सहा मधील नोंद	भूमापन क्रमांक व उपविभाग क्रमांक	क्षेत्र	क्षेत्र	क्षेत्र	वसुलीसाठी	एकूण	
		लागवडी योग्य पोटखराब क्षेत्र	एकूण क्षेत्र	आकारणी किंवा जुडी	दुमाला जमिनीवरील नुकसान.	स्थानिक उपकर	
		(हे.आर.चौ.मी)	(हे.आर.चौ.मी)	(हे.आर.चौ.मी)		जि.प. ग्रा. प.	
(१)	(२)	(३अ)	(३ब)	(३क)	(४)	(५)	(६अ) (६ब) (७)
खाते क्रमांक 8997	श्री गजानन शिक्षण संस्था शेगांव अध्यक्ष.						
व्यक्तिगत खातेदार	344	0.65.00	7.35.00	8.00.00	0.34	0	2.38 0.34 3.06
एकूण		0.65.00	7.35.00	8.00.00	0.34	0	2.38 0.34 3.06

"या प्रमाणित प्रतीसाठी फी म्हणून १५/- रुपये मिळाले."

दिनांक :- 17/10/2023

सांकेतिक क्रमांक :- 27040003404040000110202321432

(नाव :- वैभव विश्वासराव देशमुख)

तलाठी साक्षा :- शेगांव भाग 2 ता :- शेगाव जि :- बुलडाणा

तलाठी शाखा भाग-२
ता. शेगांव जि. बुलडाणा



अहवाल दिनांक : 21/09/2022

महाराष्ट्र शासन

गाव नमुना सात (अधिकार अभिलेख पत्रक)

। महाराष्ट्र जमीन महसूल अधिकार अभिलेख आणि नोंदवहा (तयार करणे व सुस्थितीत ठेवणे) नियम, १९७१ यातील नियम ३.५.६ आणि ७ ।

गाव :- शेगांव भाग 2
(945040)

तालुका :- शेगाव

जिल्हा :- बुलडाणा

ULPIN : 30041471031

भूमापन क्रमांक व उपवेभाग : 310/2

30041471031

भू-धारणा पद्धती : भागवटादार वग -1

शेताचे स्थानिक नाव :

क्षेत्र, एकक व आकारणी	खाते क्र.	भागवटादाराचे नांव	क्षेत्र	आकार	पो.ख.	फे.फा.	कुळ, खंड व इतर अधिकार
क्षेत्राचे एकक हे.आर.चौ.मी. अ) लागवड योग्य क्षेत्र जिरागत 7.16.00 बागायत एकूण लागू 7.16.00 क्षेत्र ब) पोत-खराब क्षेत्र (लागवड अयोग्य) वग (अ) 1.92.00 वग (ब) एकूण पोत 1.92.00 एकूण क्षेत्र 9.08.00 (अ+ब) आकारणी 7.78 जुडी किंवा विशेष आकारणी	697	श्री गजानन शिक्षण संस्था शेगाव अध्यक्ष	3.17.00	3.44	0.07.00	(15324)	कुळाचे नाव व खंड
	781	रविंद्र भास्करराव सजय भास्करराव शिवशंकर भास्करराव सुमनबाई भास्करराव देशमुख -----सामाईक क्षेत्र-----	1.10.00	1.20	0.84.00	(15324) (15324) (15324) (41309)	इतर अधिकार [-संक्रांतिक चार - रविवास (गावठाणावतीरीय) (5) [क्रा.क्र. 1/6/2014-तह.सेगांव-संचे क्र.16/2/14-नुसार-1,2,3,4,5-र-दंड-कसबात अर्का-5)
	2259	मधुसूदन सत्यनारायण अग्रवाल	0.30.00	0.33		(2681)	अकृषक बापर - रविवास (गावठाणावतीरीय) रा.प्र.क्र. 37/शेगांव/12/२०१४-15 दि.10/9/2014 (7) NAP 34/शेगांव/1/31-02 अकृषक क्षेत्र-3.34 (7) NAP 34/शेगांव/1/85-86 दि.13/9/85 अकृषक 0.39 (7) NAP 34/शेगांव/1/85-86 दि.12/9/85 अकृषक 0.39 (7) NAP 34/शेगांव/1/36-87 (7) NAP 34/शेगांव/2/83-84 दि.13/9/83 अकृषक 0.30 (7)
	2260	सिंधुबाई मुगुटराव देशमुख	0.39.50	0.43		(6820)	
	2261	अनिल मुगुटराव देशमुख	0.21.00	0.23		(6820)	
	2262	विजया काशीराम रुडके अनिल मुगुटराव देशमुख दीपक मुगुटराव देशमुख -----सामाईक क्षेत्र-----	0.39.00	0.42		(6821) (6821) (6821)	
	2263	मुगुटराव किसनराव देशमुख सता दीपक देशमुख -----सामाईक क्षेत्र-----	0.39.00	0.42		(6822) (6822)	
	[2268]	[दत्तात्रय केशवराव पानसरे [मोहन केशवराव पानसरे [लीना संजय आरेकर [प्रतिभा केशवराव पानसरे -----सामाईक क्षेत्र-----	0.20.00	0.22		(34471) (34471) (34471) (34471)	
	2270	सुषमा राजेंद्र देशमुख	0.39.50	0.43		(6823)	
	11610	भूषण दिलीप पाटील दिलीप पंढरीनाथ पाटील/सोनवणे] -----सामाईक क्षेत्र-----	1.62.00	1.76		(31336) (31336)	
	16054	मोहन केशवराव पानसरे प्रतिभा केशवराव पानसरे दत्तात्रय केशवराव पानसरे लीना संजय आरेकर -----सामाईक क्षेत्र-----	0.20.00	0.22		(34471) (34471) (34471) (34471)	
जुने फेरफार क्र. (1) (7) (2681) (6820) (6821) (6822) (15174) (15324) (30669) (31336) (32966) (36374)							सोम आणि भूमापन विडें :



गाव नमुना बारा (पिकांची नोंदवही)

। महाराष्ट्र जमीन महसूल अधिकार अभिलेख आणि नोंदवहा (तयार करणे व सुस्थितीत ठेवणे) नियम, १९७१ यातील नियम २९ ।

गाव :- शेगांव भाग 2 (945040)

तालुका :- शेगाव

जिल्हा :- बुलडाणा

भूमापन क्रमांक व उपवेभाग : 310/2

पिकांखालील क्षेत्राचा तपशील

<https://mahaferfar1.enlightcloud.com/DDM/PgHtml712>

 तलाठी शेगांव भाग 2
ता.शेगांव जि.बुलडाणा



महाराष्ट्र शासन
गाव नमुना सात (अधिकार अभिलेख पत्रक)

(महाराष्ट्र जमीन महसूल अधिकार अभिलेख आणि नोंदवह्या (तयार करणे व सुस्थितीत ठेवणे) नियम, १९७१ यातील नियम ३.५.६ आणि ७)



गाव :- शेगांव भाग 2
(945040)

तालुका :- शेगांव

जिल्हा :- बुलडाणा

ULPIN : 23182176509

भूमापन क्रमांक व उपविभाग : 343/1

23182176509

भू-धारणा पध्दती : भोगवटादार वग -1

शेताचे स्थानिक नाव :

क्षेत्र, एकक व आकारणी	खाते क्र.	भोगवटादाराचे नांव	क्षेत्र	आकार	पो.ख.	फे.फा.	कुळचे नांव व खंड
क्षेत्राचे एकक हे.आर.चौ.मी. अ) लागवड योग्य क्षेत्र जिरामत 3.48.00 ब) लागवड योग्य क्षेत्र एकुण लाग.योग्य क्षेत्र 3.48.00 व) पोट-खराब क्षेत्र (लागवड अयोग्य) वग (अ) - वग (ब) - एकुण पोट-ख 0.00.00 एकुण क्षेत्र (अ+ब) 3.48.00 आकारणी 2.40 जुडी किंवा विशेष आकारणी जुने फेरफार कर	697	श्री गजानन शिक्षण संस्था शेगांव अध्यक्ष	3.48.00	2.39	(15232)		कुळचे नांव व खंड इतर अधिकार अधिकार ताफ - रहिवास (गावठाणाबाहेरील) वि.एस.डी.ओ.खामगांव यांचे फाईल परीत रेफे.नं एन.ए.पि.३४ शेगांव ०९/०९/०२ (१९९९) प्रलंबित फेरफार : नाही.
							सोम आणि भूमापन किंड :

गाव नमुना बारा (पिकांची नोंदवहो)

(महाराष्ट्र जमीन महसूल अधिकार अभिलेख आणि नोंदवह्या (तयार करणे व सुस्थितीत ठेवणे) नियम, १९७१ यातील नियम २९)

गाव :- शेगांव भाग 2 (945040)

तालुका :- शेगांव

जिल्हा :- बुलडाणा

भूमापन क्रमांक व उपविभाग : 343/1

पिकाखालील क्षेत्राचा तपशील								लागवडीसाठी उपलब्ध असलेली जमीन	शेरा
वर्ष	हंगाम	खाता क्रमांक	पिकाचा प्रकार	पिकाचे नाव	जल सिंचित	अजल सिंचित	जल सिंचनाचे साधन	स्वरूप	क्षेत्र
(१)	(२)	(३)	(४)	(५)	(६)	(७)	(८)	(९)	(१०)
					आर. चौ.मी	आर. चौ.मी			आर. चौ.मी
2016-17	खरीप							अकृषक	3.4800
2017-18	खरीप							अकृषक	3.4800
2018-19	खरीप							अकृषक	3.4800

टीप : * सदरची नोंद मोबाइल ॲप द्वारे घेणेत आलेली आहे

"या प्रमाणित प्रतीसाठी फी म्हणून १५/- रुपये मिळाले."

तलाठी शेगांव भाग-२
ता.शेगांव जि.बुलडाणा



अहवाल दिनांक : 16/09/2022

महाराष्ट्र शासन

गाव नमुना सात (अधिकार अभिलेख पत्रक)

[महाराष्ट्र जमीन महसूल अधिकार अभिलेख आणि नोंदवहा (तयार करणे व सुस्थितीत ठेवणे) नियम, १९७१ यातील नियम १.५.६ आणि ७]



गाव :- शेगांव भाग 2

तालुका :- शेगाव

जिल्हा :- बुलडाणा

(945040)

ULPIN : 24761164844

भूमापन क्रमांक व उपवेभाग : 343/2

24761164844

भू-धारणा पध्दती : भोगवटादार वर्ग -1

शेताचे स्थानिक नाव :

क्षेत्र, एकक व आकारणी	खाते क्र.	भोगवटादाराचे नांव	क्षेत्र	आकार	पो.ख.	फे.फा.	कुळ, खंड व इतर अधिकार
क्षेत्राचे एकक हे.आर.चौ.मी. अ) लागवड योग्य क्षेत्र जिरायत 13.15.00 बागायत - एकूण ला.यो. 13.15.00 क्षेत्र ब) पोट-खराब क्षेत्र (लागवड अयोग्य) जग (अ) - जग (ब) - एकूण पो.ख. 0.00.00 एकूण क्षेत्र 13.15.00 (अ+ब) आकारणी 8.00 जुडी किंवा - विशेष आकारणी	697	श्री गजानन शिक्षण संस्था शेगाव अध्यक्ष	13.15.00	8.00	(15233)	कुळाचे नाव व खंड इतर अधिकार अकृषिक कामर - रोहिदास (गावठाणावहेरीत) वि.उ.वि.अधि.खाम, पांचे NAF 34/शेगाव/1/02/03 दि.23/11/02 (8) प्रत्येत क.फार : नाही.	
जम फेरफार क्र.							सामा आनी भूमापन चिन्ह :

गाव नमुना वारा (पिकांची नोंदवही)

[महाराष्ट्र जमीन महसूल अधिकार अभिलेख आणि नोंदवहा (तयार करणे व सुस्थितीत ठेवणे) नियम, १९७१ यातील नियम १.९]

गाव :- शेगांव भाग 2 (945040)

तालुका :- शेगाव

जिल्हा :- बुलडाणा

भूमापन क्रमांक व उपवेभाग : 343/2

पिकांखालील क्षेत्राचा तपशील								लागवडीसाठी उपलब्ध नसलेली जमीन	शेरा
वर्ष	हंगाम	खाता क्रमांक	पिकाचा प्रकार	पिकाचे नाव	जल सिंचित	अजल सिंचित	जल सिंचनाचे साधन	स्वरूप	क्षेत्र
(१)	(२)	(३)	(४)	(५)	(६)	(७)	(८)	(९)	(१०)
					आर. चौ.मी	आर. चौ.मी			आर. चौ.मी
2016-17	खरीप							अकृषक	13.1500
2017-18	खरीप							अकृषक	13.1500
2018-19	खरीप							अकृषक	13.1500

टीप : * सदरची नोंद मोबाइल ॲप द्वारे घेणेत आलेली आहे

"या प्रमाणित प्रतीसाठी फी म्हणून ₹५/- रुपये मिळाले."

तलाश शेगाव भाग-२
ता.शेगाव जि.बुलडाणा

<https://mahaferfar1.enlightcloud.com/DDM/PgHtml712>

10-10-2023

महाराष्ट्र शासन

। महाराष्ट्र जमीन महसूल अधिकार अभिलेख आणि नोंदवह्या तयार करणे व सुस्थितीत ठेवणे, नियम १९७१ यातील नियम ३, ५, ६ आणि ७ ।

32625456570

[illegible]

भूमापन क्रमांक व उपोवेभाग : 345/2

			पिकाखालील क्षेत्राचा तपशील					लागवडीसाठी उपलब्ध नसलेली जमीन		शेरा
वर्ष	हंगाम	खाता क्रमांक	पिकाचा प्रकार	पिकाचे नाव	जल सिंचित	अजल सिंचित	जल सिंचनाचे साधन	स्वरूप	क्षेत्र	
(१)	(२)	(३)	(४)	(५)	(६)	(७)	(८)	(९)	(१०)	(११)
					आर. चौ.मी	आर. चौ.मी			आर. चौ.मी	
2016-17	खरीप		मिश्र	कापूस		0.8000				
			निभळ	तुर		0.1000		अकपक	0.9300	
2017-18	खरीप		मिश्र	कापूस		0.8000				
			निभळ	तुर		0.1000		अकपक	0.9300	
2018-19	खरीप									
			निभळ	तुर		0.1000		अकपक	0.9300	

वर्ष: 2023-24		गाव नमुना आठ-अ धारण जमिनीची नोंदवही (कृषिक) (आसामीवार खतावणी -- जमाबंदी पत्रक)				10/10/2023			
गाव: शेगांव भाग 2		तालुका: शेगाव				जिल्हा: बुलडाणा			
गाव नमुना सहा मधील नोंद	भूमापन क्रमांक व उपविभाग क्रमांक	क्षेत्र	क्षेत्र	क्षेत्र	वसुलीसाठी	एकूण			
		लागवडी योग्य पोटखराब क्षेत्र	एकूण क्षेत्र	आकारणी किंवा जुडी	दुमाला जमिनीवरील नुकसान.	स्थानिक उपकर	जि.प. प्रा. प.		
		(हे.आर.चौ.मी)	(हे.आर.चौ.मी)	(हे.आर.चौ.मी)				(६अ)	(६ब)
(१)	(२)	(३अ)	(३ब)	(३क)	(४)	(५)	(६अ)	(६ब)	(७)
खाते श्री गजानन शिक्षण संस्था शेगाव अध्यक्ष .									
क्रमांक 697									
व्यक्तिगत खातेदार	310/2	3.17.00	0.07.00	3.24.00	3.44	0	24.08	3.44	30.96
	343/1	3.48.00	0.0000	3.48.00	2.39	0	16.73	2.39	21.51
	343/2	13.15.00	0.0000	13.15.00	8	0	56	8	72
	345/2	0.93.00	0.0000	0.93.00	0.48	0	36	0.48	4.32
एकूण		20.73.00	0.07.00	20.80.00	14.31	0	100.17	14.31	128.79

"या प्रमाणित प्रतीसाठी फी म्हणून ₹५/- रुपये मिळाले."
 दिनांक :- 10/10/2023
 सांकेतिक क्रमांक :- 2704000340404000011020232874

(नाव :- वेभव विश्वासराव देशमुख)
 तलाठी साक्षा :- शेगांव भाग 2 ता :- शेगाव जि. बुलडाणा
 ता. शेगाव जि. बुलडाणा



अहवाल दिनांक : 14/09/2022

महाराष्ट्र शासन

गाव नमुना सात (आधिकार अभिलेख पत्रक)

। महाराष्ट्र जमीन महसूल अधिकार अभिलेख आणि नोंदवहा (तयार करणे व सुस्थितीत ठेवणे) नियम, १९७१ यातील नियम ३.५.६ आणि ७।



गाव :- शेगांव भाग 2

(945040)

ULPIN : 12373894406

तालुका :- शिंगाव

जिल्हा :- बुलडाणा

भूमापन क्रमांक व उपविभाग : 345/1

12373894405

भू-धारणा पद्धती : भांगवटादार वगै -1

शेताचे स्थानिक नाव :

[illegible]

जुने फिरफार क्र. (1622) (1650) (7825) (10127) (15236) (23608) (29626) (34357) (36253) (37302) (37627) (41700)	सोमना आणि भुमापन वि.ह.
---	------------------------

गाव नमुना बारा (पिकांची नोंदवही)

महाराष्ट्र जमीन महसूल अधिकार अभिलेख आणि नोंदवही (तयार करणे व सुस्थितीत ठेवणे) नियम १९७१ यातील नियम २९।

गाव :- शेगांव भाग २ (945040)

तालुका :- शेगांव

जिल्हा :- बुलडाणा

भूमापन क्रमांक व उपोवेभाग : 345/1

			पिकाखालील क्षेत्राचा तपशील					सामग्रीसाठी उपलब्ध नसलेली जमीन		शेरा
वर्ष	हंगाम	खाता क्रमांक	पिकाचा प्रकार	पिकाचे नाव	जल सिंचित	अजल सिंचित	जल सिंचित क्षेत्र	स्वरूप	क्षेत्र	
(१)	(२)	(३)	(४)	(५)	(६)	(७)	(८)	(९)	(१०)	(११)
					ह.आर. चौ.मी	ह.आर. चौ.मी			ह.आर. चौ.मी	
2022-23	संपूर्ण वर्ष	18865*						खंडक घड	11.6400	

टीप : * सदरची नोंद मोबाइल ॲप द्वारे घेणेत आलेली आहे

"या प्रमाणित प्रतीसाठी फी म्हणून १५/- रुपये मिळाले."

दिनांक :- 10/10/2023

संकीर्ण क्रमांक :- 2704000340404000011020231885

(नाव :- वैभव विश्वासराव दशमुख)

तलाठी साक्षात :- शेगांव भाग 2 ता. :- शेगांव जि. :- बुलडाणा

तलाठी शेगांव भाग-२
ता.शेगांव जि.बुलडाणा

All India Council for Technical Education

(An Autonomous Organization, Under Ministry of HRD, Govt. of India).



Nelson Mandela Marg, Vasant Kunj, New Delhi-110067 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 <https://www.aicte-india.org>

APPROVAL PROCESS 2018-19

Application Deficiency Report

DEFICIENCY REPORT AS PER CURRENT INTAKE (Applicable for Existing Institutes only)

Regional Office		Western	
Application Id	1-3508240844	Permanent Id	1-4792001
Name of the Institute	SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING	Address	ENGINEERING CAMPUS , KHAMGAON ROAD, SHEGAON 444 203 DIST BULDHANA MAHARASHTRA
City/Village	SHEGAON	District	BULDHANA
State	Maharashtra	Pin	444203

Overall Deficiency of Institute: No

Designation	Name	Appointment Type	Qualification	PhD
Principal/Director	SUNIL SOMANI	Regular	B.E., M.E., MIE, MIPHE, MISTE, FIAAPc	Yes

Other Details

Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency
1	List of faculty and data uploaded on the Institute web portal	Yes	No
2	Are all approved teaching faculty being paid as per VI pay commission?	Yes	No
3	Whether Institute is operating from Permanent Site/ Temporary Site?	Permanent Site	No
4	Fees to be charged, Reservation policy, Admission policy and Document retention policy are uploaded in Institute's Website?	Yes	No
5	Courses/Approved Intake displayed at the entrance of the Institute?	Yes	No

Anti-Ragging Related Deficiency Status

Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency
1	Constitution of Anti-Ragging Committee	Yes	No
2	Constitution of Anti-Ragging Squad	Yes	No
3	Undertaking obtained from all Students	Yes	No
4	Appointment of Counselors	Yes	No
5	Undertaking obtained from parents of all the students	Yes	No
6	Undertaking obtained from students staying in Hostel	Yes	No
7	Undertaking obtained from parents of students staying in Hostel	Yes	No

Ombudsman Related Deficiency Status

Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency
1	Grievance Committee	Yes	No

Total Number of Students in Institute

(i)	No. of Students UG	1440
(ii)	No. of Students PG	300
(iii)	No. of Students DIPLOMA	0
Total Students (CI) (UG+PG+DIPLOMA)		1740

Faculty

Institute Level Faculty

Type	Actual No.	Required No. as per CI	Deficiency
Total Faculty(UG+PG+Diploma)	120	93	No

Administrative Area

Type	Actual Room Area (Sq.m.)	Expected Room Area (Sq.m.)	Deficiency
Principal / Director Office	92	30	No
Board Room	45	20	No
Office All Inclusive	713	300	No
Department Offices/Cabin for Head of Dept	524	120	No
Central Store	373	30	No
Maintenance	35	10	No
Security	12	10	No
Housekeeping	40	10	No
Pantry for Staff/Faculty	88	10	No
Exam Control Office	70	30	No
Training Placement Office	117	30	No

Application Deficiency Report



Application Status: **Submitted**
Application Sub-Status: **Payment Received**

Report Generated on :-07/02/2018

Amenities Area			
Type	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
Boys Common Room	160	100	No
Girls Common Room	100	100	No
Cafeteria	160	150	No
Stationery Store & Reprography	206	10	No
First aid cum Sick Room	238	10	No

Computational Facilities			
Type	Available	Required	Deficiency
Internet Bandwidth	65	32	No
Printers	32	16	No
A1 size Color Printers	0	0	No
Legal Application S/W	30	30	No
Legal System S/W	11	4	No
PCs to Student ratio	412	305	No

Library Facilities			
Type	Available	Required	Deficiency
Volumes	86261	48800	No
Titles	29281	7950	No
National Journals	64	62	No
Library Management Software	1	1	No
Reading Room Capacity	300	150	No
MultiMediaPC	25	10	No

Instructional Area-Common Facilities			
Type	Available	Required	Deficiency
Computer Center	285	150	No
Library & Reading Room	636	425	No
Language Laboratory	66	66	No

Land Area Details			
Type	Available	Required	Deficiency
Total Area of Land	80.17	7.5	No
Maximum number of Pieces	1	1	No
Minimum per Piece of Area	80.17	7.5	No

ENGINEERING AND TECHNOLOGY / Existing Programme				
Type	Level	Actual Room Area (Sqm.)	Expected Room Area (Sqm.)	Deficiency
Class Room-Tutorial Room	UNDER GRADUATE	2206	1353	No
Additional Workshop/Labs	UG/PG	876	800	No
Class Rooms - PG	POST GRADUATE	378	132	No
Laboratories-All	UG/PG	4283	3024	No
Workshops - Basic	UG/PG	204	200	No
Drawing Halls	UG/PG	173	132	No
Seminar Hall	UG/PG	1125	396	No

MANAGEMENT / Existing Programme				
Type	Level	Actual Room Area (Sqm.)	Expected Room Area (Sqm.)	Deficiency
Class Room-Tutorial Room	POST GRADUATE	294	165	No
Seminar Hall	POST GRADUATE	140	132	No

Other Facilities			
Sr. No.	Type	Availability	Deficiency
1	All Weather Approach (Motorised Road)	Yes	No
2	Barrier free Environment	Yes	No

Date of Signature(dd/mm/yyyy)

Seal of Institute

Name & Signature of Director/Principal

Printed By : ae3185901

Application Deficiency Report



Application Status: **Submitted**
Application Sub-Status: **Payment Received**

Report Generated on :-07/02/2018

3	Electric Supply	Yes	No
4	General Insurance	Yes	No
5	Institution Web Site	Yes	No
6	Standalone Language Laboratory	Yes	No
7	Medical & Counseling	Yes	No
8	Notice Boards	Yes	No
9	Potable Water Supply	Yes	No
10	Safety Provisions	Yes	No
11	Sewage Disposal System	Yes	No
12	Telephone & FAX	Yes	No
13	Vehicle Parking	Yes	No
14	First Aid	Yes	No
15	Appointment of Student Counsellor	Yes	No
16	Establishment of Anti Ragging committee	Yes	No
17	Establishment of committee for SC/ST	Yes	No
18	Establishment of Internal Complaint Committee(ICC) As per section 4 of SexualHarassment of Women at Workplace (Prevention, Prohibition and Redressal) Act,2013	Yes	No
19	Establishment of Grievance Redressal Committee in the Institute and Appointment of OMBUDSMAN by the University	Yes	No
20	Digital Payment for all Financial Transactions as per MHRD Directives	Yes	No
21	Compliance of the National Academic Depository(NAD) as per MHRD Directives	Yes	No
22	Display Board within the premises as well as in the Website of the Institution Indicating the Feedback Facility of Students and Faculty available in the AICTE Web Portal	Yes	No
23	Implementing Food Safety and Standard Act,2006 in the Institution	Yes	No
24	Copies of AICTE Approvals (LOA and EOA of subsequent years)obtained since Inception of Institution till date shall be placed in the Website of the Institution	Yes	No
25	Provision to watch MOOCS Courses through Swayam	Yes	No
26	Implementation ofUnnat Bharat Abhiyan	Yes	No
27	Institution-Industry Cell	Yes	No
28	Group Insurance for Employees	Yes	No
29	Insurance for Students	Yes	No
30	Applied membership-National Digital Library	Yes	No
31	Implementation of Security Measures	Yes	No
32	Online Grievance Rederssal Mechanism	Yes	No

DEFICIENCY REPORT AS PER INTAKE APPLIED FOR YEAR 2018-2019

Computational Facilities			
Type	Available	Required	Deficiency
Internet Bandwidth-Applied Intake	65	48	No
Printers-Applied Intake	32	16	No
A1 size Color Printers-Applied Intake	0	0	No
Legal Application S/W-Applied Intake	30	30	No
Legal System S/W-Applied Intake	11	4	No
PCs to Student ratio-Applied Intake	412	305	No

Library Facilities			
Type	Available	Required	Deficiency
Volumes	86261	49300	No
Titles	29281	8250	No
National Journals	64	62	No
Library Management Software	1	1	No
Reading Room Capacity	300	150	No
MultiMediaPC	25	10	No

ENGINEERING AND TECHNOLOGY / Existing Programme

Date of Signature(dd/mm/yyyy)

Seal of Institute

Name & Signature of Director/Principal

Application Deficiency Report



Application Status: **Submitted**
Application Sub-Status: **Payment Received**

Report Generated on :-07/02/2018

Type	Level	Actual Room Area (Sqm.)	Expected Room Area (Sqm.)	Deficiency
Class Room-Tutorial Room	UNDER GRADUATE	2206	1353	No
Additional Workshop/Labs	UG/PG	876	400	No
Class Rooms - PG	POST GRADUATE	543	198	No
Laboratories-All	UG/PG	4283	3024	No
Workshops - Basic	UG/PG	204	200	No
Drawing Halls	UG/PG	173	132	No
Seminar Hall	UG/PG	1125	660	No

MANAGEMENT / Existing Programme

Type	Level	Actual Room Area (Sqm.)	Expected Room Area (Sqm.)	Deficiency
Class Room-Tutorial Room	POST GRADUATE	294	165	No
Seminar Hall	POST GRADUATE	140	132	No

Note

XX- No Rooms Available

DNA- Data Not Available / Insufficient Data

Blank Field-Data Not Entered

* Laboratories required and Actual Number includes Total Number of Laboratories, Research Laboratories, and Additional WS/Labs for UG and PG courses, as applicable

^ Actual Number of Tutorial Rooms for Under Graduate includes the Number of Tutorial Rooms Available for PG, if applicable

** Actual Number of Guest Rooms for Under Graduate includes the Actual Number of Guest Rooms Available for PG, if applicable

*** Actual Number of Kitchen for Under Graduate includes the Actual Number of Kitchen Available for PG, if applicable

***Note :- All the Dates in the Report are in (dd/mm/yyyy) format

Date of Signature(dd/mm/yyyy)

Seal of Institute

Name & Signature of Director/Principal

Printed By : ae3185901

Application Deficiency Report



Application Status: **Submitted**
Application Sub-Status: **Payment Received**

Report Generated on :-07/02/2018

DECLARATION

BY THE PRINCIPAL/DIRECTOR/REGISTRAR OF THE INSTITUTE/UNIVERSITY DEPARTMENT

I, as the Head of the Institution, hereby declare that:

a) I have carefully gone through the AICTE Regulations Notification dated on 30th November, 2016, published in the Gazette of India - Extraordinary Part III, Section- 4 and its amendment 05th December 2017 also the various provisions mentioned in the Approval Process Hand Book 2018-19.

b) I am fully aware of the data uploaded by me in respect of my institute on the web portal.

c) I am aware that there is no provision for correction of data, alteration of data, subsequent editing and appeal etc. for the online application once uploaded on the web portal.

d) I am also aware that application for seeking Extension of Approval(EOA), Increase/Reduction of intake, Addition of new courses, Change of site, Closure of course, Supernumerary Seats under PIO/FN/Gulf quota Approval status/OCI, NRI, Change of name, and Conversion of women institute into Co-ed institute and vice versa (as applicable), shall be processed as per relevant provisions enumerated in the Approval Process Hand Book 2018-19.

e) I am aware of the Deficiencies (if any) pointed out in the Report generated online, based on the factual data uploaded by my institute on the portal.

f) I am also aware that Institute is eligible for grant of Extension of Approval to the Existing Institutions, Extended EoA(if Applicable as per APH 2018-19), only on fulfillment of prescribed norms & requirements as mentioned in the Approval Process Hand Book 2018-19.

Signature of Principal/Director/Registrar

Name :

Seal/Stamp of the Institute/University Department



APPROVAL PROCESS 2019-20

Application Deficiency Report

DEFICIENCY REPORT AS PER CURRENT INTAKE (Applicable for Existing Institutes only)

Regional Office		Western	
Application Id	1-4259222834	Permanent Id	1-4792001
Name of the Institute	SHRI SANT GAJANAN MAHARAJ COLLEGE OF ENGINEERING	Address	ENGINEERING CAMPUS , KHAMGAON ROAD, SHEGAON 444 203 DIST BULDHANA MAHARASHTRA
City/Village	SHEGAON	District	BULDHANA
State	Maharashtra	Pin	444203

Overall Deficiency of Institute: **No**

Designation	Name	Appointment Type	Qualification	PhD	Qualified as per AICTE norms (YES/NO)
Principal/Direct or	SUNIL SOMANI	Regular	B.E., M.E., MIE, MIPHE, MISTE, FIAAPc	Yes	YES

Other Details

Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency
1	List of faculty and data uploaded on the Institute web portal	Yes	No
2	Are all approved teaching faculty being paid as per VI pay commission?	Yes	No
3	Whether Institute is operating from Permanent Site/ Temporary Site?	Permanent Site	No
4	Fees to be charged, Reservation policy, Admission policy and Document retention policy are uploaded in Institute's Website?	Yes	No
5	Courses/Approved Intake displayed at the entrance of the Institute?	Yes	No

Anti-Ragging Related Deficiency Status

Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency
1	Constitution of Anti-Ragging Committee	Yes	No
2	Constitution of Anti-Ragging Squad	Yes	No
3	Undertaking obtained from all Students	Yes	No
4	Appointment of Counselors	Yes	No
5	Undertaking obtained from parents of all the students	Yes	No
6	Undertaking obtained from students staying in Hostel	Yes	No
7	Undertaking obtained from parents of students staying in Hostel	Yes	No

Ombudsman Related Deficiency Status

Sr. No.	Details of Requirement	Status provided by the Institute	Deficiency
1	Grievance Committee	Yes	No

Total Number of Students in Institute

(i)	No. of Students UG	1440
(ii)	No. of Students PG	300
(iii)	No. of Students DIPLOMA	0
Total Students (CI) (UG+PG+DIPLOMA)		1740

Faculty

Institute Level Faculty

Type	Actual No.	Required No. as per CI	Deficiency
Total Faculty(UG+PG+Diploma)	118	93	No
TOTAL	118.00	93.00	

Administrative Area

Type	Actual Room Area (Sq.m.)	Expected Room Area (Sq.m.)	Deficiency
Principal / Director Office	92	30	No
Board Room	45	20	No
Office All Inclusive	713	300	No

Application Deficiency Report



Application Status: **Submitted**
Application Sub-Status: **Payment Received**

Report Generated on :-20/02/2019

Department Offices/Cabin for Head of Dept	524	120	No
Central Store	373	30	No
Maintenance	35	10	No
Security	12	10	No
Housekeeping	40	10	No
Pantry for Staff/Faculty	88	10	No
Exam Control Office	70	30	No
Training Placement Office	117	30	No
TOTAL	2109.00	600.00	

Amenities Area

Type	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
Boys Common Room	160	100	No
Girls Common Room	100	100	No
Cafeteria	160	150	No
Stationery Store & Reprography	206	10	No
First aid cum Sick Room	238	10	No
TOTAL	864.00	370.00	

Computational Facilities

Type	Available	Required	Deficiency
Internet Bandwidth	65	48	No
Printers	32	16	No
A1 size Color Printers	0	0	No
Number of PCs in Language lab	25	20	No
Legal Application S/W	30	30	No
Legal System S/W	11	4	No
PCs to Student ratio	397	305	No
TOTAL	560.00	423.00	

Library Facilities

Type	Available	Required	Deficiency
Volumes	90611	30150	No
e-Books Volumes	4350	4200	No
Titles	31160	7100	No
e-Books Titles	1879	425	No
Journals	92	90	No
Library Management Software	1	1	No
Reading Room Seating Capacity	300	150	No
MultiMediaPC	25	10	No
TOTAL	128418.00	42126.00	

Instructional Area-Common Facilities

Type	Available	Required	Deficiency
Computer Center	351	150	No
Library & Reading Room	636	425	No
Language Laboratory	66	66	No
TOTAL	1053.00	641.00	

Land Area Details

Type	Available	Required	Deficiency
Total Area of Land	80.17	7.5	No
Maximum number of Pieces	1	1	No
Minimum per Piece of Area	80.17	7.5	No
TOTAL	161.34	16.00	

ENGINEERING AND TECHNOLOGY / Existing Programme

Type	Level	Actual Room Area (Sqm.)	Expected Room Area (Sqm.)	Deficiency
Class Room-Tutorial Room	UNDER GRADUATE	2206	1353	No

Date of Signature(dd/mm/yyyy)

Seal of Institute

Name & Signature of Director/Principal

Printed By : ae3185901

Application Deficiency Report



Application Status: **Submitted**
Application Sub-Status: **Payment Received**

Report Generated on :-20/02/2019

Additional Workshop/Labs	UG/PG	876	200	No
Class Rooms - PG	POST GRADUATE	543	198	No
Laboratories-All	UG/PG	4283	2838	No
Workshops - Basic	UG/PG	204	200	No
Drawing Halls	UG/PG	173	132	No
Seminar Hall	UG/PG	987	132	No
TOTAL		9272.00	5053.00	

MANAGEMENT / Existing Programme				
Type	Level	Actual Room Area (Sqm.)	Expected Room Area (Sqm.)	Deficiency
Class Room-Tutorial Room	POST GRADUATE	294	165	No
Computer Laboratory	POST GRADUATE	66	66	No
Seminar Hall	POST GRADUATE	344	132	No
TOTAL		704.00	363.00	

Other Facilities			
Sr. No.	Type	Availability	Deficiency
1	All Weather Approach (Motorised Road)	Yes	No
2	Barrier free Environment	Yes	No
3	Electric Supply	Yes	No
4	General Insurance	Yes	No
5	Institution Web Site	Yes	No
6	Standalone Language Laboratory	Yes	No
7	Medical & Counseling	Yes	No
8	Notice Boards	Yes	No
9	Potable Water Supply	Yes	No
10	Safety Provisions	Yes	No
11	Sewage Disposal System	Yes	No
12	Telephone & FAX	Yes	No
13	Vehicle Parking	Yes	No
14	First Aid	Yes	No
15	Appointment of Student Counsellor	Yes	No
16	Establishment of Anti Ragging committee	Yes	No
17	Establishment of committee for SC/ST	Yes	No
18	Establishment of Internal Complaint Committee(ICC) As per section 4 of SexualHarassment of Women at Workplace (Prevention, Prohibition and Redressal) Act,2013	Yes	No
19	Establishment of Grievance Redressal Committee in the Institute and Appointment of OMBUDSMAN by the University	Yes	No
20	Digital Payment for all Financial Transactions as per MHRD Directives	Yes	No
21	Compliance of the National Academic Depository(NAD) as per MHRD Directives	Yes	No
22	Display Board within the premises as well as in the Website of the Institution Indicating the Feedback Facility of Students and Faculty available in the AICTE Web Portal	Yes	No
23	Implementing Food Safety and Standard Act,2006 in the Institution	Yes	No
24	Copies of AICTE Approvals (LOA and EOA of subsequent years)obtained since Inception of Institution till date shall be placed in the Website of the Institution	Yes	No
25	Provision to watch MOOCS Courses through Swayam	Yes	No
26	Implementation ofUnnat Bharat Abhiyan	Yes	No
27	Institution-Industry Cell	Yes	No
28	Group Insurance for Employees	Yes	No
29	Insurance for Students	Yes	No
30	Applied membership-National Digital Library	Yes	No
31	Implementation of Security Measures	Yes	No
32	Online Grievance Rederssal Mechanism	Yes	No
33	Internal Quality Assurance Cell	Yes	No

Date of Signature(dd/mm/yyyy)

Seal of Institute

Name & Signature of Director/Principal

Printed By : ae3185901

Application Deficiency Report



Application Status: **Submitted**
Application Sub-Status: **Payment Received**

Report Generated on :-20/02/2019

34	Fire and Safety Certificate	Yes	No
35	Display of information submitted to AICTE (including the accreditation status and Board of Governors) along with mandatory disclosures in the Web site of the Institution	Yes	No
36	Sports facilities	Yes	No
37	Group Accident Policy to be provided for the employees	Yes	No
38	Efforts to encourage Final Year students to appear GATE examination	Yes	No
39	Auditorium	Yes	No
40	Display of Course(s) and "Approved Intake" in the Institution at the entrance of the Institution. Course(s) taken through duly recognized MOOCs shall be used as Supplementary Course(s)	Yes	No
41	Intellectual Property Right Cell	Yes	No
42	Implementation of mandatory Internship policy for students	Yes	No
43	Implementation of teacher training policy	Yes	No
44	Implementation of examination reforms	Yes	No
45	Implementation of Startup Policy	Yes	No
46	Innovation Cell/Club	Yes	No
47	Media Cell	Yes	No
48	Training and Placement Cell with budget allocation proof of 1% of the total Institutional budget	Yes	No
49	Participation in the National Innovation Ranking	Yes	No
50	Whether your Institution has introduced online Aadhar linked Biometric attendance for regular faculty members?	Yes	No
51	Backup Electric Supply	Yes	No

Note

XX- No Rooms Available

DNA- Data Not Available / Insufficient Data

Blank Field-Data Not Entered

* Laboratories required and Actual Number includes Total Number of Laboratories, Research Laboratories, and Additional WS/Labs for UG and PG courses, as applicable

^ Actual Number of Tutorial Rooms for Under Graduate includes the Number of Tutorial Rooms Available for PG, if applicable

** Actual Number of Guest Rooms for Under Graduate includes the Actual Number of Guest Rooms Available for PG, if applicable

*** Actual Number of Kitchen for Under Graduate includes the Actual Number of Kitchen Available for PG, if applicable

***Note :- All the Dates in the Report are in (dd/mm/yyyy) format

Date of Signature(dd/mm/yyyy)

Seal of Institute

Name & Signature of Director/Principal

Printed By : ae3185901

Application Deficiency Report



Application Status: **Submitted**
Application Sub-Status: **Payment Received**

Report Generated on :-20/02/2019

DECLARATION

BY THE PRINCIPAL/DIRECTOR/REGISTRAR OF THE INSTITUTE/UNIVERSITY DEPARTMENT

I, as the Head of the Institution, hereby declare that:

a) I have carefully gone through the AICTE Regulations Notification dated on 30th November, 2016, published in the Gazette of India - Extraordinary Part III, Section- 4 and its amendment 05th December 2017 also the various provisions mentioned in the Approval Process Hand Book 2019-20.

b) I am fully aware of the data uploaded by me in respect of my institute on the web portal.

c) I am aware that there is no provision for correction of data, alteration of data, subsequent editing and appeal etc. for the online application once uploaded on the web portal.

d) I am also aware that application for seeking Extension of Approval(EOA), Increase/Reduction of intake, Addition of new courses, Change of site, Closure of course, Supernumerary Seats under PIO/FN/Gulf quota Approval status/OCI, NRI, Change of name, and Conversion of women institute into Co-ed institute and vice versa (as applicable), shall be processed as per relevant provisions enumerated in the Approval Process Hand Book 2019-20.

e) I am aware of the Deficiencies (if any) pointed out in the Report generated online, based on the factual data uploaded by my institute on the portal.

f) I am also aware that Institute is eligible for grant of Extension of Approval to the Existing Institutions, Extended EoA(if Applicable as per APH 2019-20), only on fulfillment of prescribed norms & requirements as mentioned in the Approval Process Hand Book 2019-20.

Signature of Principal/Director/Registrar

Name :

Seal/Stamp of the Institute/University Department



APPROVAL PROCESS 2020-21

Application Deficiency Report

DEFICIENCY REPORT AS PER APPLIED INTAKE (Applicable for Existing Institutions only)

Regional Office	Western	Overall Deficiency of Institution:	No
Application ID	1-7014587901	Permanent ID	1-4792001
Name of the Institution	Shri Sant Gajanan Maharaj College Of Engineering	Address	Engineering Campus , Khamgaon Road, Shegaon 444 203 Dist Buldhana Maharashtra
City/Village	Shegaon	District	Buldhana
State	Maharashtra	PIN	444203

Director/Principal Details

Designation	Name	Appointment Type	Qualification	PhD	Qualified as per AICTE Norms (YES/NO)
Director/Principal	Sunil Somani	Regular	B.E., M.E., MIE,MIPHE,MISTE,FIAAPc	Yes	Yes

Other Details

Sr. No.	Particulars	Status Provided by the Institution	Deficiency
1.	List of Faculty Member and Data Uploaded on the Institution Web Portal	Yes	No
2.	Are all Approved Teaching Faculty Member being Paid as per Present Pay Scale/Commission?	Yes	No
3.	Whether Institution is Operating from Permanent Site?	Yes	No
4.	Fees to be Charged, Reservation Policy, Admission Policy and Document Retention Policy are Uploaded in Institution's Website?	Yes	No
5.	Courses/Approved Intake Displayed at the Entrance of the Institution?	Yes	No

Anti-Ragging Related Deficiency Status

Sr. No.	Particulars	Status Provided by the Institution	Deficiency
1.	Constitution of Anti-Ragging Committee	Yes	No
2.	Constitution of Anti-Ragging Squad	Yes	No
3.	Undertaking Obtained from all Students	Yes	No
4.	Appointment of Counselors	Yes	No
5.	Undertaking Obtained from Parents of all the Students	Yes	No
6.	Undertaking Obtained from Students Staying in Hostel	Yes	No
7.	Undertaking Obtained from Parents of Students Staying in Hostel	Yes	No

Ombudsman Related Deficiency Status

Sr. No.	Particulars	Status Provided by the Institution	Deficiency
1.	Grievance Committee	Yes	No

Application Deficiency Report



Application Status: **Submitted**
Application Sub-Status: **Payment Received**

Report Generated on :-07/03/2020

Institution Level Faculty Member

Sr. No.	Particulars	Actual No.	Required No. as per CI	Deficiency
1.	Total Faculty(UG+PG+Diploma)	115	115	No

Administrative Area

Sr. No.	Particulars	Actual Room Area (Sq.m.)	Expected Room Area (Sq.m.)	Deficiency
1.	Board Room	45	20	No
2.	Department Offices/Cabin for Head of Dept	524	120	No
3.	Central Store	373	30	No
4.	Exam Control Office	70	30	No
5.	Housekeeping	40	10	No
6.	Maintenance	35	10	No
7.	Office All Inclusive	713	300	No
8.	Placement Office	117	30	No
9.	Principal Directors Office	92	30	No
10.	Security	12	10	No
TOTAL		2021.00	590.00	

Amenities Area

Sr. No.	Particulars	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
1.	Boys Common Room	160	100	No
2.	Cafeteria	160	150	No
3.	First aid cum Sick Room	238	10	No
4.	Girls Common Room	100	100	No
5.	Stationery Store	206	10	No
TOTAL		864.00	370.00	

Computational Facilities

Sr. No.	Particulars	Available	Required	Deficiency
1.	Internet Bandwidth	65	48	No
2.	Printers	23	16	No
3.	A1 size Color Printers	0	0	No
4.	Legal Application S/W	30	30	No
5.	Legal System S/W	11	4	No
6.	PCs to Student ratio	397	301	No

Library Facilities

Sr. No.	Particulars	Available	Required	Deficiency
1.	Volumes	94411	28800	No
2.	Titles	31593	6650	No
3.	Journals	102	90	No
4.	Library Management Software	1	1	No

Date of Signature(dd/mm/yyyy)

Seal of Institution

Name & Signature of Director/Principal

Application Deficiency Report



Application Status: **Submitted**
Application Sub-Status: **Payment Received**

Report Generated on :-07/03/2020

5.	Reading Room Seating Capacity	300	150	No
6.	MultiMediaPC	25	10	No

2

Instructional Area-Common Facilities

Sr. No.	Particulars	Available	Required	Deficiency
1.	Computer Center	173	150	No
2.	Library & Reading Room	636	425	No
3.	Language Laboratory	66	66	No
TOTAL		875.00	641.00	

Land Area Details

Sr. No.	Particulars	Available	Required	Deficiency
1.	Total Area of Land	80.17	7.5	No
2.	Maximum number of Pieces	1	2	No

Existing Programme / ENGINEERING AND TECHNOLOGY

Sr. No.	Particulars	Level	Actual Room Area (Sqm)	Expected Room Area (Sqm)	Deficiency
1.	Classroom	UG	2030	1188	No
2.	Tutorial Room	UG	176	165	No
3.	Seminar Hall	UG/PG	987	132	No
4.	Additional Workshop	UG/PG	876	200	No
5.	Drawing Hall	UG/PG	173	132	No
6.	Workshop	UG/PG	204	200	No
7.	Laboratory	UG	3786	2508	No
8.	Classroom	PG	225	198	No
9.	Laboratory	PG	497	330	No
TOTAL			8954.00	5053.00	

Existing Programme / MANAGEMENT

Sr. No.	Particulars	Level	Actual Room Area (Sqm)	Expected Room Area (Sqm)	Deficiency
1.	Classroom	PG	168	132	No
2.	Tutorial Room	PG	126	33	No
3.	Seminar Hall	UG/PG	278	132	No
TOTAL			572.00	297.00	

Other Facilities

Sr. No.	Particulars	Availability	Deficiency
1.	All Weather Approach(Motorised Road)	Yes	No
2.	Safety Provisions	Yes	No
3.	Sewage Disposal System	Yes	No
4.	Telephone	Yes	No
5.	Vehicle Parking	Yes	No

Date of Signature(dd/mm/yyyy)

Seal of Institution

Name & Signature of Director/Principal

Application Deficiency Report



Application Status: Submitted
Application Sub-Status: Payment Received

Report Generated on :-07/03/2020

6.	First Aid	Yes	No
7.	Appointment: Student Counselor	Yes	No
8.	Establishment: Anti-Ragging Committee	Yes	No
9.	Establishment: Committee for SC/ST	Yes	No
10.	Establishment: Internal Complaint Committee(ICC)	Yes	No
11.	Estb: Grievance Redressal Committee/OMBUDSMAN	Yes	No
12.	Barrier free Environment	Yes	No
13.	AICTE Approval Letters- EoA/LoA	Yes	No
14.	Institution-Industry Cell	Yes	No
15.	Digital Payment-Financial Transactions	Yes	No
16.	Food Safety and Standards	Yes	No
17.	Insurance for Students	Yes	No
18.	Applied membership-National Digital Library	Yes	No
19.	Online Grievance Redressal Mechanism	Yes	No
20.	Internal Quality Assurance Cell	Yes	No
21.	Fire and Safety Certificate	Yes	No
22.	Atleast 5 MoUs with industries	Yes	No
23.	Display of info submitted to AICTE on website	Yes	No
24.	General Insurance	Yes	No
25.	Backup Electric Supply	Yes	No
26.	Group accident policy for employees	Yes	No
27.	Rain Water Harvesting	Yes	No
28.	Implementation of student Induction Programme	Yes	No
29.	Waste Management and a sustainable Green Campus	Yes	No
30.	Institution Web Site	Yes	No
31.	Medical & Counseling	Yes	No
32.	Notice Boards	Yes	No
33.	Potable Water Supply	Yes	No

Date of Signature(dd/mm/yyyy)

Seal of Institution

Name & Signature of Director/Principal

Application Deficiency Report



Application Status: **Submitted**
Application Sub-Status: **Payment Received**

Report Generated on :-07/03/2020

DECLARATION

BY THE PRINCIPAL/DIRECTOR/REGISTRAR OF THE INSTITUTION DEPARTMENT

I, as the Head of the Institution, hereby declare that:

- a) I have carefully gone through the AICTE Regulations 2020, published in the Gazette of India Extraordinary Part III, Section- 4 dated 04th February, 2020, also all provisions mentioned in the Approval Process Hand Book 2020-21.
- b) I am fully aware of the data uploaded by me in respect of my Institution on the web portal.
- c) I am aware that there is no provision for correction of data, alteration of data, subsequent editing and appeal etc. for the online application once uploaded on the web portal.
- d) I am also aware that application for seeking Extension of Approval(EOA), Increase/Reduction of intake, Addition of new courses, Change of site, Closure of course, Supernumerary Seats under PIO/FN/Gulf quota Approval status/OCI, NRI, Change of name, and Conversion of women Institution into Co-ed Institution and vice versa (as applicable), shall be processed as per relevant provisions enumerated in the Approval Process Hand Book 2020-21.
- e) I am aware of the Deficiencies (if any) pointed out in the Report generated online, based on the factual data uploaded by my Institution on the portal.
- f) I am also aware that Institution is eligible for grant of Extension of Approval to the Existing Institutions, Extended EoA(if Applicable as per APH 2020-21), only on fulfillment of prescribed norms & requirements as mentioned in the Approval Process Hand Book 2020-21.

Signature of Director/Registrar/ Principal

Name :

Seal/Stamp of the University /Institution Department

Date of Signature(dd/mm/yyyy)

Seal of Institution

Name & Signature of Director/Principal



APPROVAL PROCESS 2021-22

Application Deficiency Report

DEFICIENCY REPORT AS PER APPLIED INTAKE (Applicable for Existing Institutions only)

Regional Office	Western	Overall Deficiency of Institution:	No
Application ID	1-9318396547	Permanent ID	1-4792001
Name of the Institution	Shri Sant Gajanan Maharaj College Of Engineering	Address	Engineering Campus , Khamgaon Road, Shegaon 444 203 Dist Buldhana Maharashtra
City/Village	Shegaon	District	Buldhana
State	Maharashtra	PIN	444203

Director/Principal Details

Designation	Name	Appointment Type	Qualification	PhD	Eligible as per AICTE Norms (YES/NO)
Director/Principal	Sunil Somani	Regular	B.E., M.E., MIE, MIPHE, MISTE, FIAAPc	Yes	Yes

Other Details

Sr. No.	Particulars	Status Provided by the Institution	Deficiency
1.	List of Faculty Member and Data Uploaded on the Institution Web Portal	Yes	No
2.	Are all Approved Teaching Faculty Member being Paid as per Present VI /Pay Scale/Commission?	Yes	No
3.	Whether Institution is Operating from Permanent Site?	Yes	No
4.	Fees to be Charged, Reservation Policy, Admission Policy and Document Retention Policy are Uploaded in Institution's Website?	Yes	No
5.	Courses/Approved Intake Displayed at the Entrance of the Institution?	Yes	No

Anti-Ragging Related Deficiency Status

Sr. No.	Particulars	Status Provided by the Institution	Deficiency
1.	Constitution of Anti-Ragging Committee	Yes	No
2.	Constitution of Anti-Ragging Squad	Yes	No
3.	Undertaking Obtained from all Students	Yes	No
4.	Appointment of Counselors	Yes	No
5.	Undertaking Obtained from Parents of all the Students	Yes	No
6.	Undertaking Obtained from Students Staying in Hostel	Yes	No
7.	Undertaking Obtained from Parents of Students Staying in Hostel	Yes	No

Ombudsman Related Deficiency Status

Sr. No.	Particulars	Status Provided by the Institution	Deficiency
1.	Grievance Committee	Yes	No

Date of Signature(dd/mm/yyyy)

Seal of Institution

Name & Signature of Director/Principal

Application Deficiency Report



Application Status: **Submitted**
Application Sub-Status: **Payment Received**

Report Generated on :-16/04/2021

Institution Level Faculty Member

Sr. No.	Particulars	Actual No.	Required No. as per CI	Deficiency
1.	Total Faculty(UG+PG+Diploma)	110	110	No

Administrative Area

Sr. No.	Particulars	Actual Room Area (Sq.m.)	Expected Room Area (Sq.m.)	Deficiency
1.	Board Room	45	20	No
2.	Department Offices/Cabin for Head of Dept	524	120	No
3.	Central Store	373	30	No
4.	Exam Control Office	70	30	No
5.	Housekeeping	40	10	No
6.	Maintenance	35	10	No
7.	Office All Inclusive	713	300	No
8.	Placement Office	117	30	No
9.	Principal Directors Office	92	30	No
10.	Security	12	10	No
TOTAL		2021.00	590.00	

Amenities Area

Sr. No.	Particulars	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
1.	Boys Common Room	160	100	No
2.	Cafeteria	160	150	No
3.	First aid cum Sick Room	238	10	No
4.	Girls Common Room	100	100	No
5.	Stationery Store	206	10	No
TOTAL		864.00	370.00	

Computational Facilities

Sr. No.	Particulars	Available	Required	Deficiency
1.	Printers	23	15	No
2.	A1 size Color Printers	0	0	No
3.	Legal Application S/W	30	30	No
4.	Legal System S/W	11	4	No
5.	PCs to Student ratio	397	296	No

Library Facilities

Sr. No.	Particulars	Available	Required	Deficiency
1.	Volumes	94411	21800	No
2.	Titles	31593	5150	No
3.	Journals	102	90	No
4.	Library Management Software	1	1	No
5.	Reading Room Seating Capacity	300	150	No
6.	MultiMediaPC	25	10	No

Date of Signature(dd/mm/yyyy)

Seal of Institution

Name & Signature of Director/Principal

Application Deficiency Report



Application Status: **Submitted**
Application Sub-Status: **Payment Received**

Report Generated on :-16/04/2021

Instructional Area-Common Facilities

Sr. No.	Particulars	Available	Required	Deficiency
1.	Computer Center	173	150	No
2.	Library & Reading Room	636	410	No
3.	Language Laboratory	66	33	No
TOTAL		875.00	593.00	

Land Area Details

Sr. No.	Particulars	Available	Required	Deficiency
1.	Total Area of Land	80.17	7.5	No
2.	Maximum number of Pieces	1	2	No

Existing Programme / ENGINEERING AND TECHNOLOGY

Sr. No.	Particulars	Level	Actual Room Area (Sqm)	Expected Room Area (Sqm)	Deficiency
1.	Classroom	UG	2030	1188	No
2.	Tutorial Room	UG	176	165	No
3.	Seminar Hall	UG/PG	987	132	No
4.	Additional Workshop	UG/PG	876	200	No
5.	Drawing Hall	UG/PG	173	132	No
6.	Workshop	UG/PG	204	200	No
7.	Laboratory	UG	3786	2244	No
8.	Classroom	PG	225	198	No
9.	Laboratory	PG	497	330	No
TOTAL			8954.00	4789.00	

Existing Programme / MANAGEMENT

Sr. No.	Particulars	Level	Actual Room Area (Sqm)	Expected Room Area (Sqm)	Deficiency
1.	Classroom	PG	168	132	No
2.	Tutorial Room	PG	126	33	No
3.	Seminar Hall	UG/PG	278	132	No
TOTAL			572.00	297.00	

Other Facilities

Sr. No.	Particulars	Availability	Deficiency
1.	All Weather Approach(Motorised Road)	Yes	No
2.	Safety Provisions	Yes	No
3.	Sewage Disposal System	Yes	No
4.	Telephone	Yes	No
5.	Vehicle Parking	Yes	No
6.	First Aid	Yes	No
7.	Appointment of Student Counselor	Yes	No
8.	Establishment of Anti-Ragging Committee	Yes	No

Date of Signature(dd/mm/yyyy)

Seal of Institution

Name & Signature of Director/Principal

Application Deficiency Report



Application Status: **Submitted**
Application Sub-Status: **Payment Received**

Report Generated on :-16/04/2021

9.	Establishment of Committee for SC/ST	Yes	No
10.	Establishment of Internal Complaint Committee(ICC)	Yes	No
11.	Establishment of Grievance Redressal Committee/OMBUDSMAN	Yes	No
12.	Barrier free Enviroment	Yes	No
13.	AICTE Approval Letters- EoA/LoA	Yes	No
14.	Institution-Industry Cell	Yes	No
15.	Digital Payment-Financial Transactions	Yes	No
16.	Food Safety and Standards	Yes	No
17.	Insurance for Students	Yes	No
18.	Applied membership-National Digital Library	Yes	No
19.	Online Grievance Rederssal Mechanism	Yes	No
20.	Internal Quality Assurance Cell	Yes	No
21.	Fire and Safety Certificate	Yes	No
22.	Atleast 5 MoUs with industries	Yes	No
23.	Display of info submitted to AICTE on website	Yes	No
24.	General Insurance	Yes	No
25.	Backup Electric Supply	Yes	No
26.	Group accident policy for employees	Yes	No
27.	Implementation of student Induction Programme	Yes	No
28.	Waste Management and a sustainable Green Campus	Yes	No
29.	Display of Course(s) and Approved In entrance	Yes	No
30.	Institution Web Site-Mandatory Disclosure	Yes	No
31.	Medical & Counseling	Yes	No
32.	Notice Boards	Yes	No
33.	Potable Water Supply	Yes	No

Date of Signature(dd/mm/yyyy)

Seal of Institution

Name & Signature of Director/Principal

Application Deficiency Report



Application Status: **Submitted**
Application Sub-Status: **Payment Received**

Report Generated on :-16/04/2021

DECLARATION

BY THE AUTHORIZED SIGNATORY OF THE INSTITUTION /DEPARTMENT

I, as the Head of the Institution, hereby declare that:

- a) I have carefully gone through the AICTE Regulations 2021, published in the Gazette of India Extraordinary Part III, Section- 4 dated 04th February, 2021, also all provisions mentioned in the Approval Process Handbook 2021-22.
- b) I am fully aware of the data uploaded by me in respect of my institution on the web portal.
- c) I am aware that there is no provision for correction of data, alteration of data, subsequent editing and appeal etc. for the online application once submitted on the web portal.
- d) I am also aware that application for seeking Extension of Approval(EOA), Increase/Reduction of intake, Addition of new courses, Change of site, Closure of course, Supernumerary Seats under FN/Gulf quota Approval status/OCI, NRI, Change of name, and Conversion of women institution into Co-ed institution and vice versa (as applicable), shall be processed as per relevant provisions enumerated in the Approval Process Handbook 2021-22.
- e) I am aware of the Deficiencies (if any) pointed out in the Report generated online, based on the factual data uploaded by my institution on the web portal.
- f) I am also aware that Institution is eligible for grant of Extension of Approval to the Existing Institutions, Extended EoA(if Applicable as per APH 2021-22), Change in name of the Course(s)/ Reduction in Intake/ Closure of Programme(s) and/ or Course(s), only on fulfillment of prescribed norms & requirements as mentioned in the Approval Process Handbook 2021-22.

Signature of Authorized Signatory

Name :

Date of Signature(dd/mm/yyyy)

Seal of Institution

Name & Signature of Director/Principal



APPROVAL PROCESS 2022-23

Application Deficiency Report

DEFICIENCY REPORT AS PER APPLIED INTAKE (Applicable for Existing Institutions only)

Regional Office	Western	Overall Deficiency of Institution:	No
Application ID	1-10974282290	Permanent ID	1-4792001
Name of the Institution	Shri Sant Gajanan Maharaj College Of Engineering	Address	Engineering Campus , Khamgaon Road, Shegaon 444 203 Dist Buldhana Maharashtra
City/Village	Shegaon	District	Buldhana
State	Maharashtra	PIN	444203

Director/Principal Details

Designation	Name	Appointment Type	Qualification	PhD	Eligible as per AICTE Norms (YES/NO)
Director/Principal	Sunil Somani	Regular	B.E., M.E., MIE, MIPHE, MISTE, FIAAPc	Yes	Yes

Other Details

Sr. No.	Particulars	Status Provided by the Institution	Deficiency
1.	List of Faculty Member and Data Uploaded on the Institution Web Portal	Yes	No
2.	Are all Approved Teaching Faculty Member being Paid as per Present VI /Pay Scale/Commission?	Yes	No
3.	Whether Institution is Operating from Permanent Site?	Yes	No
4.	Fees to be Charged, Reservation Policy, Admission Policy and Document Retention Policy are Uploaded in Institution's Website?	Yes	No
5.	Courses/Approved Intake Displayed at the Entrance of the Institution?	Yes	No

Anti-Ragging Related Deficiency Status

Sr. No.	Particulars	Status Provided by the Institution	Deficiency
1.	Constitution of Anti-Ragging Committee	Yes	No
2.	Constitution of Anti-Ragging Squad	Yes	No
3.	Undertaking Obtained from all Students	Yes	No
4.	Appointment of Counselors	Yes	No
5.	Undertaking Obtained from Parents of all the Students	Yes	No
6.	Undertaking Obtained from Students Staying in Hostel	Yes	No
7.	Undertaking Obtained from Parents of Students Staying in Hostel	Yes	No

Institution Level Faculty Member

Sr. No.	Particulars	Actual No.	Required No. as per CI	Deficiency
1.	Total Faculty(UG+PG+Diploma)	104	90	No

Date of Signature(dd/mm/yyyy)

Seal of Institution

Name & Signature of Director/Principal

Application Deficiency Report



Application Status: **Submitted**
Application Sub-Status: **Payment Received**

Report Generated on :-20/04/2022

Administrative Area

Sr. No.	Particulars	Actual Room Area (Sq.m.)	Expected Room Area (Sq.m.)	Deficiency
1.	Board Room	45	20	No
2.	Department Offices/Cabin for Head of Dept	524	120	No
3.	Central Store	373	30	No
4.	Exam Control Office	70	30	No
5.	Housekeeping	40	10	No
6.	Maintenance	35	10	No
7.	Office All Inclusive	713	300	No
8.	Placement Office	117	30	No
9.	Principal Directors Office	92	30	No
10.	Security	12	10	No
TOTAL		2021.00	590.00	

Amenities Area

Sr. No.	Particulars	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
1.	Boys Common Room	160	100	No
2.	Cafeteria	160	150	No
3.	First aid cum Sick Room	238	10	No
4.	Girls Common Room	100	100	No
5.	Stationery Store	206	10	No
TOTAL		864.00	370.00	

Computational Facilities

Sr. No.	Particulars	Available	Required	Deficiency
1.	Printers	23	15	No
2.	A1 size Color Printers	0	0	No
3.	Legal Application S/W	30	30	No
4.	Legal System S/W	11	4	No
5.	PCs to Student ratio	397	296	No

Library Facilities

Sr. No.	Particulars	Available	Required	Deficiency
1.	Volumes	95357	21800	No
2.	Titles	31792	5250	No
3.	Journals	102	90	No
4.	Library Management Software	1	1	No
5.	Reading Room Seating Capacity	300	150	No
6.	MultiMediaPC	25	10	No

Date of Signature(dd/mm/yyyy)

Seal of Institution

Name & Signature of Director/Principal

Application Deficiency Report



Application Status: **Submitted**
Application Sub-Status: **Payment Received**

Report Generated on :-20/04/2022

Instructional Area-Common Facilities

Sr. No.	Particulars	Available	Required	Deficiency
1.	Computer Center	173	150	No
2.	Library & Reading Room	636	410	No
3.	Language Laboratory	66	33	No
TOTAL		875.00	593.00	

Land Area Details

Sr. No.	Particulars	Available	Required	Deficiency
1.	Total Area of Land	80.17	7.5	No
2.	Maximum number of Pieces	1	2	No

Existing Programme / ENGINEERING AND TECHNOLOGY

Sr. No.	Particulars	Level	Actual Room Area (Sqm)	Expected Room Area (Sqm)	Deficiency
1.	Classroom	UG	2030	1188	No
2.	Tutorial Room	UG	176	165	No
3.	Seminar Hall	UG/PG	987	132	No
4.	Additional Workshop	UG/PG	876	200	No
5.	Drawing Hall	UG/PG	173	132	No
6.	Workshop	UG/PG	204	200	No
7.	Laboratory	UG	3786	2244	No
8.	Classroom	PG	225	198	No
9.	Laboratory	PG	497	330	No
TOTAL			8954.00	4789.00	

Existing Programme / MANAGEMENT

Sr. No.	Particulars	Level	Actual Room Area (Sqm)	Expected Room Area (Sqm)	Deficiency
1.	Classroom	PG	168	132	No
2.	Tutorial Room	PG	126	33	No
3.	Seminar Hall	UG/PG	278	132	No
TOTAL			572.00	297.00	

Other Facilities

Sr. No.	Particulars	Availability	Deficiency
1.	All Weather Approach(Motorised Road)	Yes	No
2.	Safety Provisions	Yes	No
3.	Sewage Disposal System	Yes	No
4.	Telephone	Yes	No
5.	Vehicle Parking	Yes	No
6.	First Aid	Yes	No
7.	Appointment of Student Counselor	Yes	No
8.	Establishment of Anti-Ragging Committee	Yes	No

Date of Signature(dd/mm/yyyy)

Seal of Institution

Name & Signature of Director/Principal

Application Deficiency Report



Application Status: **Submitted**
Application Sub-Status: **Payment Received**

Report Generated on :-20/04/2022

9.	Establishment of Committee for SC/ST	Yes	No
10.	Establishment of Internal Complaint Committee(ICC)	Yes	No
11.	Establishment of Grievance Redressal Committee/OMBUDSMAN	Yes	No
12.	Barrier free Enviroment	Yes	No
13.	AICTE Approval Letters- EoA/LoA	Yes	No
14.	Institution-Industry Cell	Yes	No
15.	Digital Payment-Financial Transactions	Yes	No
16.	Food Safety and Standards	Yes	No
17.	Insurance for Students	Yes	No
18.	Online Grievance Rederssal Mechanism	Yes	No
19.	Internal Quality Assurance Cell	Yes	No
20.	Fire and Safety Certificate	Yes	No
21.	Atleast 5 MoUs with industries	Yes	No
22.	Display of info submitted to AICTE on website	Yes	No
23.	General Insurance	Yes	No
24.	Backup Electric Supply	Yes	No
25.	Group accident policy for employees	Yes	No
26.	Implementation of student Induction Programme	Yes	No
27.	Waste Management and a sustainable Green Campus	Yes	No
28.	Display of Course(s) and Approved In entrance	Yes	No
29.	Institution Web Site-Mandatory Disclosure	Yes	No
30.	Medical & Counseling	Yes	No
31.	Notice Boards	Yes	No
32.	Potable Water Supply	Yes	No

Date of Signature(dd/mm/yyyy)

Seal of Institution

Name & Signature of Director/Principal

Application Deficiency Report



Application Status: **Submitted**
Application Sub-Status: **Payment Received**

Report Generated on :-20/04/2022

DECLARATION

BY THE AUTHORIZED SIGNATORY OF THE INSTITUTION /DEPARTMENT

I, as the Head of the Institution, hereby declare that:

- a) I have carefully gone through the AICTE Regulations 2021, published in the Gazette of India Extraordinary Part III, Section- 4 dated 04th February, 2021, also all provisions mentioned in the Approval Process Handbook 2022-23.
- b) I am fully aware of the data uploaded by me in respect of my institution on the web portal.
- c) I am aware that there is no provision for correction of data, alteration of data, subsequent editing and appeal etc. for the online application once submitted on the web portal.
- d) I am also aware that application for seeking Extension of Approval(EOA), Increase/Reduction of intake, Addition of new courses, Change of site, Closure of course, Supernumerary Seats under FN/Gulf quota Approval status/OCI, NRI, Change of name, and Conversion of women institution into Co-ed institution and vice versa (as applicable), shall be processed as per relevant provisions enumerated in the Approval Process Handbook 2022-23.
- e) I am aware of the Deficiencies (if any) pointed out in the Report generated online, based on the factual data uploaded by my institution on the web portal.
- f) I am also aware that Institution is eligible for grant of Extension of Approval to the Existing Institutions, Extended EoA(if Applicable as per APH 2022-23), only on fulfillment of prescribed norms & requirements as mentioned in the Approval Process Handbook 2022-23.

Signature of Authorized Signatory

Name :

This Document is Certified from Page
1 to 146

Date of Signature(dd/mm/yyyy)

Seal of Institution

Name & Signature of Director/Principal